

FEATURES

- Ideal for precision clamping
- Secures onto a bench to enable precision working
- Can be used for mechanical and electrical items
- 50 and 75 mm jaw capacities
- High grade hardened and tempered jaws

RS PRO Bench Vice x 43mm 75mm x 45mm, 1.8kg

RS Stock No.: 829-6158



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description


From RS PRO this mechanics bench vice is an excellent choice for using to clamp and secure all your mechanical and electrical items. The bench vice benefits from a drop forged construction which is ideal for critical holding.

General Specifications

| | |
|---------------------|--|
| Vice Type | Bench Vice |
| Applications | Workshops, Model Makers, Hobbyists, DIY enthusiasts, Garages |

Mechanical Specifications

| | |
|----------------------------|--------------|
| Jaw Opening | 45mm |
| Jaw Width | 75mm |
| Jaw Depth | 43mm |
| Jaw Height Capacity | 75mm |
| Rotating Vice Head | 360° |
| Mounting | Bolts, Clamp |
| Weight | 1.8kg |



| RS CODE | | 8296149 | 8296158 |
|----------------|----------|----------|---------|
| Size | | 50 | 75 |
| Jaw Width | B | mm 50 | 75 |
| Jaw Opening | W (max) | mm 35 | 45 |
| Length | L | mm 142 | 173 |
| Anvil Size | axb | mm 20x24 | 25x28 |
| Base Diameter | C | mm 70 | 89 |
| Hole Distance | D1 | mm 48 | 63 |
| Hole Diameter | D2 | mm 5 | 7 |
| Spindlescrew | d1 (min) | mm 6 | 8 |
| Depth | S (min) | mm 34 | 43 |
| Vice Height | ~ h1 | mm 58 | 70 |
| Clamping Bench | ~ h2 | mm 45 | 45 |
| Weight | | kg 1 | 1,8 |