

## FEATURES

- 6.3mm x 32mm cartridge size
- F Speed Rating
- Cylindrical in shape
- HBC (high breaking current) fuse – can withstand a higher current than the fuse rating

## RS PRO, 1A Ceramic Cartridge Fuse, 6.3 x 32mm, Speed F

RS Stock No.: 413-197



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

RS PRO offer this range of miniature ceramic cartridge fuses which are either ultra-rapid fuses (FF) or fast acting fuses (F). The ultra-rapid fuses operate at higher temperatures so are ideal to provide circuit protection to semiconductor devices. The fast-acting fuses are ideal to protect less sensitive components.

## General Specifications

<b>Fuse Speed</b>	F
<b>Body Material</b>	Ceramic
<b>Application Category</b>	GRL
<b>Includes Indicator</b>	No
<b>Size Designation</b>	Miniature
<b>UL Class</b>	UL 248-13
<b>Applications</b>	Industrial, Commercial, Home/Residential, Automotive

## Electrical Specifications

<b>Current Rating</b>	1A
<b>Voltage Rating</b>	500V ac
<b>High Rupture Capacity</b>	Yes
<b>Breaking Capacity (at Maximum Voltage Rating)</b>	1500A

## Mechanical Specifications

Fuse Size	6.3mm x 32mm
Overall Length	32mm
Diameter	6.3mm
Overall Dimensions	6.3mm x 32mm

## Approvals

Compliance/Certifications	IEC 60269-1 and -4, DIN VDE 0636- 40, UL 248-13, RoHS Compliant
---------------------------	---

