

SAFETY DATA SHEET



QUIKCONTROL® FIBERGLASS REPAIR TAPE

Date of Issue: 29-08-2019 Revision: 2

Section 1 – Information of the substance/compound and the supplier

Product Name: QuikControl® Fiberglass Repair Tape

Company Information:

Alchem Manufacturing Pte Ltd
Blk 3029A, #01-96, Ubi Road 3, Singapore 408661
Tel: +65 6747 8643
Fax: +65 6747 6547

Section 2 – Composition

INGREDIENTS	CAS No	%	EXPOSURE LIMITS
Fiberglass	65997-17-3	48 - 52	10mg/m ³
4,4' - Diphenylmethane di-isocyanate OtherMDI isomers and oligomers	101-68-8	34 - 38	0.051 mg/m ³
Polypropylene polyol diphenyl methane di- isocyanate prepolymer	9048-57-1	6 - 8	N/A
Amine catalyst	6425-39-4	1 - 5	0.051 mg/m ³
Methanesulfonic acid	75-75-2	< 1	0.051 mg/m ³

Source of exposure limit data – ACGIHTreshold Limit Values

Abbreviations: N/A – Not Applicable

Section 3 – Hazards Identification

Hazards Identification: Non-hazardous Substance. Not classified as dangerous goods.
Non-Hazard classification according to the criteria of NOHSC.
Non-dangerous goods classification according to the Singapore Code for Transport of Dangerous Goods.

Human Health Hazards: May cause sensitization by contact with eye.

Safety Hazards: Avoid contact with eye.

Environmental Hazards: Non-toxic to aquatic organisms

Other Information: The use of shears is recommended to remove old product from pipes so as to minimize dust formation.

Section 4 – First Aid Measures

Inhalation: Provide fresh air. If breathing becomes difficult, call physician.

Skin: S24: Avoid contact with skin.
Wash thoroughly with soap and water.

Eye: Flush affected area with plenty of soap and water.

Ingestion: S46: If swallowed, seek medical advice immediately and show this container or label.
S2: Keep out of reach of children. Unlikely route of entry.

SAFETY DATA SHEET



QUIKCONTROL® FIBERGLASS REPAIR TAPE

Date of Issue: 29-08-2019 Revision: 2

Section 5 – Fire Fighting Measures

Specific Hazards:	Nil.
Extinguishing Media:	H2O spray, foam, CO2, dry chemicals or foam
Unsuitable Extinguishing Media:	Nil
Protective Equipment:	Firefighters to wear self-contained breathing apparatus and full protective clothing.
Other Information:	Keep undamaged product cool with H2O fog while fighting fire.

Section 6 – Accidental Release Measures

Personal Precautions:	Remove all possible sources of ignition in the surrounding area.
Environmental Precautions:	Prevent from spreading or entering into drains and surface waters (e.g. lakes, ponds, ditches, rivers and streams) by using sand, earth, or other appropriate non-combustible barriers.
Clean-up Methods - Small Spillages	To minimize soil and groundwater contamination, absorb liquid with sand earth or other recommended absorbent material. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations.
Clean-up Methods - Large Spillages	Prevent from spreading by making a barrier with sand, earth or other containment material. Dispose of as for small spills.
Maritime Spillages	Maritime spillages should be dealt with using a Shipboard Oil Pollution Emergency Plan (SOPEP), as required by MARPOL Annex 1 Regulation 26.
Other Information	Observe all relevant local regulations.

Section 7 – Handling and Storage

Handling:	S37/ S39: Wear protective glove and safety glasses while handling uncured product. Uncured product will adhere to clothing. Maintain high standards of personal hygiene, washing hands after coming in contact with product. S24/ S25: Avoid eye and skin contact.
Storage:	S3: Store in cool, dry and well-ventilated area out of direct sunlight. Store away from all heat sources. Optimum storage conditions 4 - 30°C. For best results, rotate stock.

Section 8 – Exposure Controls / Personal Protection

INGREDIENTS	CAS No	%	EXPOSURE LIMITS
Fiberglass	65997-17-3	48 - 52	10mg/m ³
4,4' - Diphenylmethane di-isocyanate Other MDI isomers and oligomers	101-68-8	34 - 38	0.051 mg/m ³
Polypropylene polyol diphenyl methane di-isocyanate prepolymer	9048-57-1	6 - 8	N/A

SAFETY DATA SHEET



QUIKCONTROL® FIBERGLASS REPAIR TAPE

Date of Issue: 29-08-2019 Revision: 2

Amine catalyst	6425-39-4	1 - 5	0.051 mg/m ³
Methanesulfonic acid	75-75-2	< 1	0.051 mg/m ³

Source of exposure limit data – ACGIH Threshold Limit Values

Abbreviations: N/A – Not Applicable

Respiratory type: Avoid breathing of dust, vapours, mists or spray. Where ventilation is inadequate and dusts, vapours or mists are generated the use of a respirator with filter is recommended. Filter capacity and respirator type depends on exposure levels.

Eye protection S39: eye/ face protection. Non-fogging chemical safety goggles or safety glasses with side shields.

Glove type: S37: Wear suitable impervious protective gloves such as PVC or Nitrile gloves.

Clothing: S36: Wear suitable impervious protective clothing

Section 9 – Physical and Chemical Characteristics

Physical State: Tacky resin on a fiberglass substrate

Colour: White or Yellowish

Odour: Very slight

Specific Gravity: 1.23 at 43°C

Boiling Point: N/A

Melting Point: N/A

Evaporation Rate: N/A

Vapour Pressure, mm Hg: N/A

Vapour Density (Air = 1.0.) N/A

Section 10 – Stability and Reactivity

Stability: Material is stable

Conditions to avoid: None known

Hazardous Reactions: None known

Hazardous decomposition: None known

SAFETY DATA SHEET



QUIKCONTROL® FIBERGLASS REPAIR TAPE

Date of Issue: 29-08-2019 Revision: 2

Section 11 – Toxicological Information

ROUTE OF ENTRY	DESCRIPTION	MINIMUM CONCENTRATION FOR EFFECT
Inhalation	R20: Harmful by inhalation. Isocyanate vapours of uncured material below detectable limits.	N/A
Skin	R42/43: May cause sensitization by inhalation and skin contact. Contact (Employing modified human draize test): Product is neither an irritant nor an allergen. Adsorption: Acute demal LD50> 2g/kg, no reaction at this dose.	N/A
Eyes	R36/37/38: Irritating to eyes, respiratory system and skin. Avoid contact; uncured material is not expected to be irritant when used as directed	N/A
Ingestion	Oral LD50> 5g/kg; no mortalities or untoward behaviors reactions observed.	N/A

Carcinogenicity

NTP	N/A
IARC Monographs	N/A
OSHA Regulated	N/A

Signs and Symptoms of Exposure

Eyes: Irritation

Skin: Minor irritation

Medical Conditions Aggravated by Exposure: Open cuts or abrasions or rashes on skin

Section 12 – Ecological Information

Ecotoxicity:	Non-toxic to aquatic organisms.
Mobility:	Floats on water. Does not contains volatile components.
Persistence/Degradability:	Components are inherently biodegradable.
Bioaccumulation:	Nil

Section 13 – Disposal Considerations

Waste disposal: Solid waste landfill or authorized incineration

Section 14 – Transport Information

Transportation: Not classified as Dangerous Goods according to Singapore Code for Transport of Dangerous Goods by Road, Rail and Air.

Section 15 – Regulatory Information

Not hazardous. Observe the governmental or local regulations to use the product safely.

SAFETY DATA SHEET



QUIKCONTROL® FIBERGLASS REPAIR TAPE

Date of Issue: 29-08-2019 Revision: 2

Section 16 – Other Information

Other Precautions: Removal of cured product with oscillating saws without adequate ventilation will potentially cause irritant dusts to be generated into atmosphere. The use of shears is recommended to remove old product from pipes so as to minimize dust formation.

Warning to users:

This data sheet completes the technical notices but does not supersede them. The information contained in it is grounded to the statement of our knowledge of the product concerned at the publishing date.

Moreover, user's attention should be drawn on the possible risks incurred when a product is used for other purposes than those for which it has been designed. It does not stop in any case the user knowing and following the whole regulatory texts related to his activity. He will be the sole responsible of the precautions related to the use of the products he knows.

The aim of the whole regulatory prescriptions mentioned is to help the receiver to fulfill his duties when using the product. This list must not be considered as exhaustive. It does not stop the user from making sure that he complies with the written obligations other than those previously cited and which rule the fact of keeping and using the product for which he is the sole responsible person.