

### **FEATURES**

- All fluids usable in aggressive environment
- Mechanical resistance
- Silicon free

# RS PRO MALE PLUG EU DN7.8 INOX 1/4

RS Stock No.: 2312691



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## **Pneumatic Quick Connect Couplings**



#### **Product Description**

The RS PRO male plug EU DN7.8 inox 1/4 works in 0 to 16 bar pressure range. It mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages applications. It provides high performance for multiple fluids in a wide range of temperature and pressure. Operating temperature range is from - 15 °C to + 200 °C. RoHS and REACH compliant.

#### **General Specifications**

| Material     | Steel                                         |  |
|--------------|-----------------------------------------------|--|
| Applications | Lubrication System, Cooling System, Pneumatic |  |
| Applications | Machinery Equipment                           |  |

#### **Mechanical Specifications**

| Connection Type      | Threaded, Tube   |  |
|----------------------|------------------|--|
| Tube Connection Size | 7                |  |
| Coupling Gender      | Male 1/4 in Male |  |
| Threaded Connection  |                  |  |
| Thread Size          | 1/4in            |  |
| Wrench Size1         | 17               |  |
| Length L1            | 33.5mm           |  |


# Pneumatic Quick Connect Couplings



### **Similar Products**

| Parameters           | 2312693        | 2312694        |  |
|----------------------|----------------|----------------|--|
| Brand                | RS PRO         | RS PRO         |  |
| Connection Type      | Threaded, Tube | Threaded, Tube |  |
| Tube Connection Size | 7.5mm          | 9mm            |  |
| Coupling Gender      | Male           | Male           |  |
| Threaded Connection  | 3/8 in Male    | 1/2 in Male    |  |
| Thread Size          | 3/8in          | 1/2in          |  |
| Wrench Size          | 19             | 24             |  |
| Length               | 34mm           | 36mm           |  |





| Α   | В | С    | D | СН | Pack. |
|-----|---|------|---|----|-------|
| 1/4 | 7 | 33.5 | - | 17 | 2     |