

Datasheet

RS Pro Fused DIN Rail Terminal, SK Series, 10A, 5 x 20mm Fuse, Black

RS Stock No: **501-837**



Product Details

RS Pro fused DIN rail terminal in black colour, has screw down termination and supports 0.5 to 10 mm² wire. The lever and screw cap style is compatible with 5 x 20 mm fuse. This terminal is current rated for 10 A and has 24 V LED in parallel.

Features and Benefits

- Lever and screw cap styles for fuse sizes 5x20 mm
- Markers maybe fitted above both wire entries
- LED type has 24 V LED in parallel
- Endplate width 1.5 mm



ENGLISH

Specifications:

Cable CSA	0.5 to 10 mm ²
Colour	Black
Current Rating	10 A
Fuse Size	5 x 20 mm
Pitch	12.2 mm
Rail Type Compatibility	TS35
Termination Method	Screw Down
Voltage Rating	400 V
Wire Size	0.5 to 10 mm ²
Housing Material	Glass Fibre Reinforced Nylon 66 V0
Standards Met	UL Listed; CSA Certified



ENGLISH

Accessories for RS	501837	
	RS Part No	Description
End Cover	501865	Endplate for fused terminals black
Markers	501623	6mm wide blanks for 6mm + terminals
	501629	6mm wide numbered 1-50 markers
	501679	6mm numbered 51-100 markers