

Features

- Tamperproof
- Increased security
- Keyway has a spring-loaded shutter
- Supplied with 2 keys

RS PRO Black Zinc Polyamide Swing Handle, 160mm x 35mm x 12mm

RS Stock No.: 136-3618



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO Black Zinc Polyamide Swing Handle is an effective way of adding increased tamper resistance. Upon inspection, the swing handle derives from black polyamide, and the camlock is zinc plated. During application, the swing handle is easy to install and operates by lifting and rotating the handle. Also included is a keyway designed with a spring-loaded shutter to prevent water from getting inside and ensure the swing handles IP54 rating.

General Specifications

Handle Style	Swing
Handle Length	160 mm
Dimensions	160 mm x 35 mm x 12 mm
Grip Length	25.2 mm
Door Panel Thickness	3 mm
Installation Cut-out	50 mm x 25 mm
Weight	184g
Colour	Black

Protection Category

IP Rating	IP54
-----------	------

Similar Products

Stock No.	Brand	Product Name	Dimensions	Handle Length	Colour
136-3619	RS PRO	Swing Handle	160 mm x 35 mm x 10 mm	160 mm	Black

