

FEATURES

- Indicator light
- Telephone slide base
- 5,000 hr life
- Luminosity of 1.8lm
- Voltage rating of 60V
- Current rating of 20mA
- Length of 44mm
- Diameter of 6.8mm
- Conforms to ANSI/ESD S20.20:2014 and BS EN 61340-5-1:200 on electrostatic discharge

Telephone Slide Indicator Light, Clear, 60 V, 20 mA, 5000h

RS Stock No.: 294-5242



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Incandescent Light Bulbs



Product Description

This telephone slide lamp from the RS PRO range is commonly used as a reliable, durable light source for a variety of applications, from gambling machines to garden lights.

The clear indicator light shines with a luminosity of 1.8 lm and has a voltage rating of 60 V and a current rating of 20 mA. As an energy-efficient light source, it'll offer 5,000 hrs of life before it needs to be replaced.

General Specifications

Lamp Base	Telephone Slide
Lamp Size	T6.8
Lens Colour	Clear
Luminosity	1.8lm
Life hours	5000h
Filament Type	Vacuum Type
Housing Material	Glass
Applications	Automotive industry; Gambling machine industry; Car indicator; Garden lights; Paper lanterns; Battery-powered flashlights

Electrical Specifications

Voltage Rating	60V
Current Rating	20mA
Light Output	1.8lm

Mechanical Specifications

Diameter	6.8mm
Length	44mm



Approvals

Compliance/Certifications

RoHS, ANSI/ESD S20.20:2014, BS EN 61340-5-1:200

