

FEATURES

- Strong self-locking mechanism;
- Low profile head(no sharp edge),for easy installation;
- Flame retardant;
- Rounded edges prevent damage to bundles;
- Higher tensile strength & reliability;

RS PRO Barb Locking Nylon Cable Ties,350*8.0mm

RS Stock No.: 2098136



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- Ideal for use in outdoor or indoor applications;
- Stainless Steel Barb provides superior grip strength;
- Stippled strap body prevents tie movement;
- Curved tail design allows easy pick-up, and faster installation;
- Nylon Tie with Stainless Steel Barb Locking is designed for the most demanding application.

General Specifications

Series	CT-PA-SSBL
Type	Non-Releasable
Colour	Black
Material	Nylon 6.6
Application	Bundling & Tightening
Lock Type	Stainless Steel 304 Barb
UV Resistant	Yes
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	UL94V-2
Quantity	1000

Mechanical Specifications

Length	350mm
Width	8.0mm
Tensile Strength	500N
Maximum Bundle Strength	92mm
Thickness	1.6mm

Approvals

Declarations	CE, ROHS Declaration of Conformity
Standards Met	UL

Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
484-9433	RS PRO	CT-PA-SSBL-284/3.6-B	Black	Nylon 6.6 & Stainless Steel 304	180N

Instruction for Use / Additional Information / Diagrams / Illustrations / Accessories