

## FEATURES

- 4 mm shrouded banana socket
- Nickel, tin-plated contacts
- 4.8 mm Faston connector
- Supplied with nut & washer
- Mates with shrouded or unshrouded plugs
- Available in multiple colours
- Pack of 5

## RS PRO Female Banana Sockets - Tab Termination, 1000V, 24A

RS Stock No.: 224-7423, 224-7424, 224-7427



## Banana Connectors

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### Product Description

*Introducing a series of banana sockets from RS PRO. These female socket connectors mate with the popular 4 mm shrouded or unshrouded banana plugs. Upon inspection, these connectors have a shrouded female socket at one end with nickel/ tin-plated contacts, an M12 x 0.75 threaded body, and a 4.8 mm faston tag at the other. They operate at a high voltage (1kV) and have a 24 A current rating. Supplied with nut & washer.*

### General Specifications

- 4 mm shrouded banana socket
- Nickel, tin-plated contacts
- 4.8 mm faston connector
- Supplied with nut & washer

### Mechanical Specifications

Cut-out diameter	M12 x 0.75
Diameter	14.5 mm
Length	24.5 mm

### Electrical Specifications

Current rating	24 A
Rated	1000V

### Protection Category

CAT

III

### Classification

eCl@ss (Version)	
UNSPSC (Version)	

### Approvals

Declarations	
Hazardous Area Certification	
Standards Met	

### Similar Products

Stock No.	Brand	Product Name	Colour		
191-7888	RS PRO	RS PRO 4 mm Banana Socket - Female	Black		
191-7889	RS PRO	RS PRO 4 mm Banana Socket - Female	Green		
191-7891	RS PRO	RS PRO 4 mm Banana Socket - Female	Red		

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories