

# CABLE LOCKOUT

Lockout is a choice you make.  
Safety is the destination LOTOTO achieve

# Lototo




# Lototo

Our cable lockout equipment is an easy-to-use multi-purpose energy isolation solution that is ideal for unusual devices that are difficult to lock using conventional means. The devices and tools available easily cinch cable in place to keep handles and/or valves locked in the OFF position, effectively isolating valves or electrical power handles. Lockout cables are available individually or in lockout tagout kits.


# Lototo

## ADJUSTABLE STEEL CABLE LOCKOUT

Part No.	Description
LS806A	Cable diameter 4mm, length 2m
LS806B	Cable diameter 6mm, length 2m



- Lock body: made of ABS, withstands chemicals.
- Cable: tough, flexible multi-stranded steel cable, with clear plastic insulation coating.
- Cable length can be customized.
- Accepts up to 4 padlocks for multiple lockout application.



- Includes high-visibility, re-usable, write-on safety labels. Can be customized.
- Ideal for locking out a single valve or multiple side-by-side valves.

Part No.	Description
LS807P	Cable diameter 3.3mm, length 2.4m
LS807S	Cable diameter 3.2mm, stainless steel length 2m


## CABLE LOCKOUT



- Lock body: made of glass-filled nylon, withstands chemicals.
- Cable: tough, flexible multi-stranded steel cable, with red insulation coating.
- Cable length can be customized.
- Accepts up to 1 padlock to lock out.
- Can be equipped together with hasps for multiple lockout usage.

## ADJUSTABLE STEEL CABLE LOCKOUT

Part No.	Description
LS808	Cable diameter 3.8mm, length 2m



- Made from industrial durable nylon, and insulation coated steel cable.
- Designed to effectively lock out a variety of isolation points, including gate valves, "T" valve handles and other hard-to-secure mechanical devices.
- The handle is designed to operate the device without any tools needed.
- Cable length and color can be customized.
- Accepts up to 8 padlocks for multiple lockout application.

LS808



FISH-SHAPED CABLE LOCKOUT

Part No.	Description
LS800A	Cable diameter 3.8mm, length 2m
LS800B	Cable diameter 3.7mm, length 2.4m




- Lock body made from ABS, with insulation plastic coated steel cable.
- Accepts up to 8 padlocks for multiple lockout application.
- Cable length and color can be customized.
- Includes high-visibility, re-usable, write-on safety labels. Can be customized.

Part No.	Description
LS801P	Cable diameter 3.8mm, length 2m
LS801S	Cable diameter 3.8mm, length 2m




- Made from nylon, with an insulation plastic coated steel cable.
- Accepts up to 6 padlocks for multiple lockout application.
- Non-slip design fits man's hand shape. Very convenient to be used.
- Cable length and color can be customized.
- Includes high-visibility, re-usable, write-on safety labels.

ECONOMIC CABLE LOCKOUT



ECONOMIC CABLE LOCKOUT



Part No.	Description
LS802P	Cable diameter 4mm, length 2m
LS802S	Cable diameter 4mm, length 2m



- Made from nylon, with an insulation plastic coated steel cable.
- Accepts up to 8 padlocks for multiple lockout application.
- Non-slip design fits man's hand shape. Very convenient to be used.
- Cable length and color can be customized.
- Includes high-visibility, re-usable, write-on safety labels.

AUTO RETRACTABLE CABLE LOCKOUT

Part No.	Description
LS803	Cable diameter 1.5mm, length 2m




- Made from durable ABS, with stainless steel cable stored internally, anti-corrosive and temperature-resistant.
- Push button self-winding mechanism retracts automatically to tightly cinch the cable, leaving no slack.
- Designed to effectively lock out different types of disconnect switches and small gate valves.
- With auto retractable function, it's easy to operate, compact and portable.
- Accepts up to 8 padlocks for multiple lockout application, locking shackle max diameter 8mm.
- Cable length and color can be customized.

Part No.	Description
LS804P	Cable diameter 3mm, length 2m
LS804S	Cable diameter 3mm, length 2m



- Made from impact resistant engineering plastic nylon PA.
- Inner material has two choices: Nylon and metal (stainless steel).

MULTIPURPOSE CABLE LOCKOUT



CABLE LOCKOUT


Part No.	Description
LS805A	Cable diameter 3.2mm, length 2m
LS805B	Cable diameter 5mm, length 2m



- Made from durable ABS, with insulation coated stainless steel cable.
- Designed to effectively lock out a variety of energy isolation points as well as difficult-to-secure mechanical devices.
- Available with interchangeable cables, two cable diameter for your choice: 3.5mm and 5mm.
- Accepts up to 5 padlocks for multiple lockout application.
- Cable length and color can be customized.

CAR SEAL LOCKOUT

Part No.	Description
LS809	Cable diameter 1.5mm, length 300mm




- PA body ,with insulation coated steel cable.
- Used to lock the device with small lock hole.
- Accepts up to 2 padlocks for multiple lockout application.The lock hold diameter is 8mm and 6mm.
- Cable length and color can be customized.

Part No.	Description
LS810	Cable diameter 3.8mm, length 2m

- Reinforced nylon PA body, withstand temperature from -20°C to +80°C.
- The cable with clear plastic insulation coating.
- Ergonomic design, Pop-Up lock, easy to operate.
- Accepts up to 4 workers for multiple lockout application.

CABLE LOCKOUT



LS810

CABLE LOCKOUT

Part No.	Description
LS811	Cable diameter 4.3mm, length 2.4m



LS811



- Made of ABS body withstand chemicals and non-conductive nylon cable attachment.
- Accepts up to 6 padlocks for multiple energy isolation points.
- Lightweight construction for easy handing, carrying and operation.