

FEATURES

- Material 304 / 1.4301 stainless steel
- IP66 rating
- Lids with black neoprene gasket and 4 x M6 captive hexagon headed screws
- Operating temperature -20 °C to +110 °C
- Multiple DIN rail fixing points, M5
- External M6 earth stud

RS PRO Junction Boxes

RS Stock No.: 749-1854



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

RS PRO IP66 Sealed Terminal Boxes

Introducing a range of RS PRO heavy duty terminal boxes. These boxes are designed for housing DIN rail terminals and accessories. Constructed from 1.2 mm AISI 304 natural finish stainless steel and fitted with a black neoprene gasket these enclosures provide an IP66 rating.

General Specifications

Body Material	Stainless Steel			
Base Material	Stainless Steel			
Gasket Material	neoprene			
Application	Power Management			
Colour	Unpainted			
Lid Colour	Unpainted			
Temperature Range	-20 °C to +110 °C			
Shape	Rectangular			
Surface Finishing	Untreated			
Size	Small			
Cover Locking	Screw			

Mechanical Specifications

Length	200mm
Width	120mm
Height	200mm
Dimensions	200 x 120 x 200mm

Protection Category

IP Rating IP66

Approvals

	=
Declarations	RoHS Certificate of Compliance
	•



Similar Products

Stock No.	Brand	Product Name	Material	Dimensions	Number of ways
122-030	RS PRO	Junction Box	Steel	300 x 200 x 120mm	
144-4457	RS PRO	Junction Box	GRP	220 x 120 x 90mm	

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories

