
# Crystal Oscillator SMD 5032 (5mm × 3.2mm × 1.2mm)





## RoHS Compliant

### **Application**

Used in Wireless communication, PDA, DSC, PC, Server, SONET, Telecommunications, etc.

#### **Features**

- · Small size SMD seam sealed clock crystal oscillator units
- Supply voltage: 3.3V
- · 3-state function
- · Automatic mounting and reflow soldering
- · High stability, low jitter, low power consumption

## **Electrical Specifications**

Output Type : CMOS
Output Load : 15pF

Oscillation Mode : Fundamental / 3rd Overtone

Supply Voltage : 3.3VFrequency Range :  $1 \sim 48MHz$ Frequency Stability :  $\pm 25ppm$ Operating Temperature Range :  $-40^{\circ}C$  to  $+85^{\circ}$ 


Operating Temperature Range : -40°C to +85°C
Storage Temperature Range : -55°C to +125°C
Voltage Vol (Max.) / Voh (Min.) : 0.1VDD / 0.9VDD


Rise(Tr) / Fall(Tf) Time : 8ns Max.


Symmetry :  $40\sim60\%$ Start-up Time : 5ms Max. Phase Jitter ( $12kHz \sim 20MHz$ ) : 1ps Max.

Aging (at 25°C) : ±3ppm/Year Max.

### Diagram







#### **PAD Function**

- 1. Enable Control
- 2. GND
- 3. Out
- 4. VDD

Dimensions: Millimetres

23/09/19 V1.0

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



# Crystal Oscillator SMD 5032 (5mm × 3.2mm × 1.2mm)



#### **Part Number Table**

Description	Part Number
Crystal Oscillator, 5032, 1.8432MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-1.8432-25-C
Crystal Oscillator, 5032, 4MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-4.00-25-C
Crystal Oscillator, 5032, 8MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-8.00-25-C
Crystal Oscillator, 5032, 10MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-10.00-25-C
Crystal Oscillator, 5032, 12MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-12.00-25-C
Crystal Oscillator, 5032, 12.288MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-12.288-25-C
Crystal Oscillator, 5032, 16MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-16.00-25-C
Crystal Oscillator, 5032, 16.384MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-16.384-25-C
Crystal Oscillator, 5032, 20MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-20.00-25-C
Crystal Oscillator, 5032, 24MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-24.00-25-C
Crystal Oscillator, 5032, 24.576MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-24.57600-25-C
Crystal Oscillator, 5032, 25MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-25.00-25-C
Crystal Oscillator, 5032, 26MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-26.00-25-C
Crystal Oscillator, 5032, 27MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-27.00-25-C
Crystal Oscillator, 5032, 28.63636MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-28.63636-25-C
Crystal Oscillator, 5032, 30MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-30.00-25-C
Crystal Oscillator, 5032, 32MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-32.00-25-C
Crystal Oscillator, 5032, 38.4MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-38.40-25-C
Crystal Oscillator, 5032, 40MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-40.00-25-C
Crystal Oscillator, 5032, 48MHz, 3.3V, ±25ppm, -40 ~ +85°C, 15pF	MCSJK-7NC2-48.00-25-C

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

