

Features

- VGA/SVGA/HD15
- M-M
- Black
- 5 Pack

RS PRO 5mtr VGA M – M Cable – Black – 5 Pack

RS Stock No.: 2668473



RS Professionally Approved Products bring to you, professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

Our RS PRO 5 metre monitor cable comes with two high density 15 pin male connectors which is commonly known as a VGA or SVGA connector. It has all pins connected and ferrites at each end of the cable which help to cut out interference. The jacket and the connector hoods are made of black PVC.

The SVGA connector is one of the most common video connectors found on computers. SVGA is an analogue signal which is slowly being replaced by digital cables such as HDMI and DisplayPort.

General Specifications

Cable Type	VGA-VGA
Connector A	Male VGA
Connector A Gender	Male
Connector A Type	VGA
Connector B	Male VGA
Connector B Gender	Male
Connector B Type	VGA
Number of Shielding	3x
Outer Sheath Material	PVC
Sheath Colour	Black

Approvals


Declarations	CE UKCA REACH ROHS
Standards Met	CE UKCA REACH ROHS


Similar Products

VGA Cables



Parameters	182-8525
Brand	RS RPO
Pack Size	1
Cable Type	VGA
Connector A	VGA
Connector A Gender	Male
Connector A Type	VGA
Connector B	VGA
Connector B Gender	Male
Connector B Type	VGA
Length	5mtr





- 1. MATERIAL
- I. MATERIAL

 1.1 CABLE(28#): [(7/0.12BC+FPE)*3+7/0.12BC+AL]+7/0.12BC*9C+AL+
 7/0.12BC+B(96/0.12ALM)+PVC6.8 (BLACK).

 1.2 HIGH DENSITY D—SUB 15 MALE: BLUE INSULATION, GOLD FLASH CONTACTS,
 NICKEL PLATED SHELL.

 1.3 FERRITE CORE: Ø14.2 X Ø9.5 X 28.5mm.

 1.4 ALL HOOD: BLACK PVC.

 1.5 THUMB SCREW(2.3*46MM) TO BE MOLDED BLACK PVC.

 1.6 ALL COMPONENTS ARE ROHS COMPLIANT.

- 2. ELECTRICAL
- 2.1 100% OPEN AND SHORT TEST
- 2.2 HI-POT: DC200V/0.01S
- 3. PACKING
- 3.1 EACH CABLE IN A PE PACKAGE.