

Eaton ABC-3/4-R

Catalog Number: ABC-3/4-R

Eaton ABC series Fast-acting fuse 0.75A, 250 Vac, 125 Vdc, 32 Vac (self certified), ABC-3-4-R



General specifications

Product Name	Catalog Number
Eaton Bussmann series ABC fast-acting fuse	ABC-3/4-R
	UPC
	051712646253
Product Length/Depth	Product Height
1.25 in	0.25 in
Product Width	Product Weight
0.25 in	0.001 lb
Compliances	Catalog Notes
CE Marked RoHS Compliant	Ceramic body allows for higher amp/volt rating combinations.

Product specifications

Fuse indicator

Non-indicating

Interrupt rating

10 kAIC at 125 Vac/dc

35 AIC at 250 Vac

Connection

Ferrule end x ferrule end

Response time

4 hr at 100%, 60 min at 135%, 120 sec at 200%

Quantity

5

Material

Nickel-plated brass endcaps

Ceramic tube

Melting (I²T)

Typical pre-arc: 0.1450

Amperage Rating

0.75A

Voltage drop

0.32 mV typical

Resistance

0.3 ohms DC cold

Type

Electronic

Voltage rating

250 Vac, 125 Vdc, 32 Vac (self certified)

Application

Electronic circuits

Resources

PEP Eco-passport

EATO-00033-V01.01-EN

Specifications and datasheets

Eaton Specification Sheet - ABC-3/4-R

Eaton ABC fast-acting ceramic tube fuses data sheet



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)