




Datasheet

## SPZ 1 Groove Vee Pulleys (Taper Bore in Cast Iron and Steel)



**Please note:**  
All dimensions subject to change.



1.

a	b	c	d	e	f	h	α34	α38
9.7	8.5	8	12	8	2	11	P<=80	P>80

RS Stock number	Diameter P (mm)	Diameter O (mm)	Style	Bush	Bore ø max.	E	F	J	K	L	M	N
<a href="#">182-903</a>	160	164	1	1610	42	-	16	-	-	25	9	92
<a href="#">182-919</a>	180	184	7	1610	42	5	16	152	-	25	9	92
<a href="#">183-029</a>	90	94	1	1210	32	-	16	-	-	25	9	80
<a href="#">183-035</a>	100	104	1	1210	32	-	16	-	-	25	9	85
<a href="#">183-041</a>	112	116	1	1610	42	-	16	-	-	25	9	92
<a href="#">183-108</a>	80	84	1	1210	32	-	16	-	-	25	9	75
<a href="#">183-530</a>	85	89	1	1210	32	-	16	-	-	25	9	80

[Continue to next page](#) ➔

## SPZ 1 Groove Vee Pulleys (cont.)

(Taper Bore in Cast Iron and Steel)

2.

RS Stock number	Diameter P (mm)	Diameter O (mm)	Style	Bush	Bore $\varnothing$ max.	E	F	J	K	L	M	N
<a href="#">183-552</a>	125	129	1	1610	42	-	16	-	-	25	9	92
<a href="#">183-849</a>	140	144	1	1610	42	-	16	-	-	25	9	92
<a href="#">184-634</a>	71	75	1	1108	28	-	16	-	-	22	6	50
<a href="#">184-656</a>	67	71	1	1108	28	-	16	-	-	22	6	50
<a href="#">184-662</a>	75	79	1	1108	28	-	16	-	-	22	6	50

[Go back](#) 

[Continue to next page](#) 




Datasheet

## SPZ 2 Groove Vee Pulleys (Taper Bore in Cast Iron and Steel)



**Please note:**  
All dimensions subject to change.



a	b	c	d	e	f	h	α34	α38
9.7	8.5	8	12	8	2	11	P<=80	P>80

RS Stock number	Diameter P (mm)	Diameter O (mm)	Style	Bush	Bore Ø max.	E	F	J	K	L	M	N
<a href="#">182-824</a>	67	71	8	1108	42	-	28	42	6	22	-	-
<a href="#">182-830</a>	71	75	8	1108	42	-	28	42	6	22	-	-
<a href="#">182-846</a>	75	79	8	1210	32	-	28	51	3	25	-	-
<a href="#">182-852</a>	80	84	8	1210	32	-	28	51	3	25	-	-
<a href="#">182-868</a>	125	129	8	1610	42	-	28	96	3	25	-	-
<a href="#">182-975</a>	140	144	8	1610	42	-	28	111	3	25	-	-
<a href="#">183-899</a>	90	94	8	1610	42	-	28	61	3	25	-	-

[Go back](#) ←

[Continue to next page](#) →

## SPZ 2 Groove Vee Pulleys (cont.)

(Taper Bore in Cast Iron and Steel)

4.

RS Stock number	Diameter P (mm)	Diameter O (mm)	Style	Bush	Bore $\varnothing$ max.	E	F	J	K	L	M	N
<a href="#">183-906</a>	100	104	8	1610	42	-	28	71	3	25	-	-
<a href="#">183-912</a>	112	116	8	1610	42	-	28	83	3	25	-	-
<a href="#">183-940</a>	85	89	8	1610	42	-	28	50	3	25	-	-
<a href="#">184-397</a>	180	184	7	2012	50	6	28	152	-	32	4	112




Datasheet

## SPA 1 Groove Vee Pulleys (Taper Bore in Cast Iron and Steel)



**Please note:**

All dimensions subject to change.



5.

a	b	c	d	e	f	h	a34	a38
12.7	11	10	15	10	2.8	13.8	P<=118	P>118

RS Stock number	Diameter P (mm)	Diameter O (mm)	Style	Bush	Bore ø max.	E	F	J	K	L	M	N
<a href="#">183-372</a>	180	185.5	7	1610	42	6	20	145	-	25	5	92
<a href="#">184-268</a>	80	85.5	1	1210	32	-	20	-	-	25	5	75
<a href="#">184-274</a>	118	123.5	1	1610	42	-	20	-	-	25	5	92
<a href="#">184-404</a>	125	130.5	1	1610	42	-	20	-	-	25	5	92
<a href="#">184-410</a>	140	145.5	1	1610	42	-	20	-	-	25	5	92
<a href="#">184-426</a>	112	117.5	1	1610	42	-	20	-	-	25	5	92
<a href="#">184-432</a>	150	155.5	1	1610	42	-	20	-	-	25	5	92

[Go back](#) ←

[Continue to next page](#) →

## SPA 1 Groove Vee Pulleys (cont.)

(Taper Bore in Cast Iron and Steel)

6.

RS Stock number	Diameter P (mm)	Diameter O (mm)	Style	Bush	Bore $\varnothing$ max.	E	F	J	K	L	M	N
<a href="#">184-448</a>	160	165.5	1	1610	42	-	20	-	-	25	5	92
<a href="#">184-460</a>	106	111.5	1	1610	42	-	20	-	-	25	5	92
<a href="#">184-511</a>	100	105.5	1	1610	42	-	20	-	-	25	5	85
<a href="#">184-555</a>	90	95.5	1	1210	32	-	20	-	-	25	5	80
<a href="#">184-561</a>	95	100.5	1	1210	32	-	20	-	-	25	5	85




Datasheet

## SPA 2 Groove Vee Pulleys (Taper Bore in Cast Iron and Steel)



**Please note:**

All dimensions subject to change.



7.

a	b	c	d	e	f	h	α34	α38
12.7	11	10	15	10	2.8	13.8	P<=118	P>118

RS Stock number	Diameter P (mm)	Diameter O (mm)	Style	Bush	Bore ø max.	E	F	J	K	L	M	N
<a href="#">183-079</a>	100	105.5	8	1610	42	-	35	66	10	25	-	0
<a href="#">183-085</a>	106	111.5	8	1610	42	-	35	72	10	25	-	0
<a href="#">183-091</a>	112	117.5	8	1610	42	-	35	78	10	25	-	0
<a href="#">183-502</a>	80	85.5	8	1210	32	-	35	50	10	25	-	0
<a href="#">183-518</a>	90	95.5	8	1610	42	-	35	59	10	25	-	0
<a href="#">183-524</a>	100	105.5	8	1610	42	-	35	66	10	25	-	0
<a href="#">184-016</a>	160	165.5	8	2012	50	-	35	125	3	32	-	0

[Go back](#) ←

[Continue to next page](#) →

**SPA 2 Groove Vee Pulleys (cont.)**  
 (Taper Bore in Cast Iron and Steel)

RS Stock number	Diameter P (mm)	Diameter O (mm)	Style	Bush	Bore ø max.	E	F	J	K	L	M	N
<a href="#">184-022</a>	180	185.5	6	2012	50	10	35	146	1.5	32	1.5	108
<a href="#">184-038</a>	150	155.5	8	2012	50	–	35	116	3	32	–	0
<a href="#">184-066</a>	125	130.5	8	1610	42	–	35	91	10	25	–	0
<a href="#">184-117</a>	118	123.5	8	1610	42	–	35	84	10	25	–	0
<a href="#">184-640</a>	140	145.5	8	2012	50	–	35	106	3	32	–	0