


Current Sense

### **FEATURES**

- Thin Film
- 1206 Package
- TCR ±50 PPM / °C
- Tolerance 0.5%
- Power rating 0.25W
- $\Omega = 1R00$

# **RS PRO Chip Resistor**

RS Stock No.: 2414914



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### **Surface Mount Resistor**



#### **Product Description**

A series of Thin Film surface mount Current sense chip resistors. Packages that include 0603, 0805, 1206, 2010 and 2512 covers power ratings ranging from 0.1W to 3W measured at 70°C Current sense resistors can also be referred to as shunt resistors. The resistors have very low resistance enabling them to minimise power consumption which in turn helps eliminate any risk of component / equipment damaging short circuits. They detect and convert current to a measured output voltage.

Applications that include over current protection for audio, DC DC converters, Voltage regulation modules, charging modules, battery packs and adaptors.

#### **General Specifications**

#### **Mechanical Specifications**

| Packaging | Paper Tape & Reel 5000 pieces |  |
|-----------|-------------------------------|--|
|           |                               |  |

#### **Electrical Specifications**

| Operating Temp range                        | -55 to 155°C |
|---|--------------|
| - p - : a : : : : : : : : : : : : : : : : : |              |

#### **Approvals**

| Declarations                 | MFR Declaration of Conformity |
|------------------------------|-------------------------------|
| Hazardous Area Certification |                               |

# **Surface Mount Resistor**



| Sta | nd    | ard | le l | VI | ۵ŧ |
|-----|-------|-----|------|----|----|
| JLa | I I U | aıu |      | w  | CI |

## Similar Products

| Stock No. | Brand  | Product<br>Name | Ohmic value | Package | Power<br>Rating |
|-----------|--------|-----------------|-------------|---------|-----------------|
| 2414915   | RS PRO | Current sense   | 1R00        | 1206    | 0.25W           |
| XXX-XXXX  | RS PRO |                 |             |         |                 |

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories