

Datasheet

RS PRO DIN JACK TWIST LOCK


Stock No: 2513622, 2513623, 2513624, 2513625



Technical Specifications:

Connector type:	Plug
Mounting type:	Cable
IP Rating:	IP40
Contact Gender:	Female

Dimensions & connections



No.	Description	Material	Treat	Q'ty
6	Contact Terminals	Brass	Silver Ptd.	AS TABLE
5	Housing	PA66		1
4	Strain Boot	PVC		1
3	Setscrew	Steel	Nickel Ptd.	1
2	*T* Cable Holder	Steel	Nickel Ptd.	1
1	Shell Cover	Zn Alloy	Nickel Ptd.	1

YE-1233NR	YE-1234NR	YE-1235ANR	YE-1235BNR	YE-1236NR	YE-1237NR	YE-1238ANR

Specifications
rating :

100V AC 4A MAX
 contact resistance :
 pins-30mΩ MAX; shell-50mΩ MAX
 insulation resistance :
 MIN 100 MEGΩ @500V DC
 voltage withstand :
 250V AC R.M.S. for 1 minute

Quality Standards

CERTIFICATION OF RoHS3 COMPLIANCE

Signing this document confirms that **YEU TSANG CO., LTD.** understands and are compliant with European Union Directive (EU) 2015/863 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS3). Specifically, products supplied do not contain as below:

• Lead	0.1%	(1000ppm)
• Mercury	0.1%	(1000ppm)
• Cadmium	0.01%	(100ppm)
• Hexavalent Chromium	0.1%	(1000ppm)
• PBBs	0.1%	(1000ppm)
• PBDEs	0.1%	(1000ppm)
• DEHP	0.1%	(1000ppm)
• DBP	0.1%	(1000ppm)
• BBP	0.1%	(1000ppm)
• DIBP	0.1%	(1000ppm)

List of RoHS3 Products (attach a list if necessary):

__YE-1233NR_____
__YE-1234NR_____
__YE-1235ANR_____
__YE-1238ANR_____

Company: YEU TSANG CO., LTD

Signature: *Sky Shih*

Printed Name: Sky Shih

Title: SALES MANAGER

Date: 2022/4/26

