



NT 75/2 Ap Me Tc

High-performance, dual-motor wet/dry vacuum cleaner for professional use. Effective air-blast cleaning of the flat pleated filter maintains virtually constant cleaning power.



1 On-board storage

- The large on-board storage space on the casing head ensures that tools and accessories are always stored and close to hand.



2 Integrated drain hose

- Easily accessible drain hose for convenient liquid disposal.



3 ApClean (semi-automatic filter cleaning system)

- The free filter means that the user can work for long intervals without interruption.
- Optimum suction power with high efficiency.



4 Hose and bend attachment

- Convenient suction hose and bend attachment for easy transport and storage.



NT 75/2 Ap Me Tc

- Semi-automatic filter cleaning
- Tilting chassis
- Flat pleated filter (dust class M)

Technical data

Order no.	1.667-292.0	
EAN code	4039784727298	
Air flow rate	l/s	2 x 74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	l	75
Max. rated input power	W	2760
Standard nominal width	40	
Cable length	m	10
Sound pressure level	dB(A)	73
Container material	stainless steel	
Number of motors	2	
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	26.5
Dimensions (L x W x H)	mm	700 x 505 x 995

Equipment

Suction hose	m	4	Bend	■
Suction tube, metal 2 x 0.5 m	■		Sturdy bumper	■
Filter bag		Paper	Push handle	■
Wet and dry floor nozzle	mm	360	Protection class	II
Crevice nozzle	■		Steering roller stop	■
Drain hose (oil-resistant)	■		Filter cleaning	ApClean (semi-automatic filter cleaning system)
Automatic switch-off at max. filling quantity	■		Maintenance-free suction turbines	piece(s) 2
Eco filter system	■			
Stainless steel container	■			
Flat pleated filter		Paper		
Tilting chassis	■			

■ Included in the scope of supply.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description		
Flat pleated filter, paper										
Flat pleated filter, paper	1	6.904-283.0	1 piece(s)					Paper flat pleated filter (BIA-(U,S,G,C) dust class M) suitable for NT 65/2 Eco, NT 65/2 Eco Tc, NT 65/2 Eco Me.	■	
Paper filter bags (two-ply)										
Paper filter bags	2	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	■	
Bend, plastic										
Plastic bend	3	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	■	
	4	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	□	
Bend, plastic, electrically conductive	5	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□	
	6	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□	
Floor nozzles										
DN 40 wet/dry floor nozzle	7	6.907-408.0	1 piece(s)	ID 40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	■	
Multi-purpose nozzle, wet/dry	8	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□	
	9	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□	
	10	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□	
	11	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□	
Crevice nozzles										
Crevice nozzle	12	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	■	
	13	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□	
	14	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□	
	15	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□	

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description	
Suction tubes, metal									
Suction tube	16	6.900-275.0	1 piece(s)	ID 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	■
	17	6.900-514.0	1 piece(s)	ID 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	□
Suction hoses (clip system)									
Suction hose	18	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	■
	19	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.	□
	20	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	□
	21	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	□
	22	6.906-635.0	1 piece(s)	40	16 m			With bayonet and clip connection.	□
	23	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	□
Complete suction hoses (clip system)									
Suction hose	24	4.440-678.0	1 piece(s)	ID 40	4 m			4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.	■
Suction hose + PFC module	25	4.440-679.0	1 piece(s)	ID 40	4 m			4 m electrically non-conductive suction hose with bend (C-DN 40) and module (4.060-474.0), bayonet at vacuum end and C 35 clip connection at accessory end.	□
Suction hose + PFC module, electrically conductive	26	4.440-728.0	1 piece(s)	ID 40	4 m			With bend and module (4.060-533.0), electrically conductive.	□
Flat pleated filter, PES									
Flat pleated filter, PES	27	6.904-284.0	1 piece(s)					Flat filter (PES) - BIA-(U,S,G,C) dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 72/2 Eco Tc.	□
Flat pleated filter, PTFE									
Flat pleated filter, PTFE	28	6.907-449.0	1 piece(s)					Polyester fleece with PTFE coating, dust class M, for Tact ² vacuum cleaners. Particularly suitable for very adhesive materials.	□
Fabric filter									
Membrane filter	29	6.904-282.0	1 piece(s)					Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	□
HEPA, dust class H filter									
HEPA flat pleated filter	30	6.904-364.0	1 piece(s)					HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
Plastic sacks for dust-free disposal									
Plastic sack for dust-free disposal	31	6.900-698.0	10 piece(s)					PE plastic sack.	□
Wet filter bag									
Wet filter bag	32	6.904-252.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	□
Bends, stainless steel									
Bend, stainless steel, ID 35	33	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	□
Bend, stainless steel, ID 40	34	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Bends, metal									
Bend, metal	35	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el).	<input type="checkbox"/>
	36	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el).	<input type="checkbox"/>
All-purpose brushes									
All-purpose brush	37	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>
Car cleaning nozzles									
Car nozzle	38	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Rubber tool									
Rubber nozzle, ID 40	39	4.763-057.0	1 piece(s)	40				Rubber.	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	40	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	41	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Radiator brushes									
Heater brush	42	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	<input type="checkbox"/>
Pipe dusting nozzles									
Pipe brush 35/100	43	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
Pipe brush 35/200	44	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction tubes, stainless steel									
Suction tube	45	6.902-081.0	1 piece(s)	ID 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	46	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	47	6.902-154.0	1 piece(s)	ID 35	0.5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	<input type="checkbox"/>
Suction tubes, plastic									
Suction tube, DN 61	48	6.900-224.0						Plastic	<input type="checkbox"/>
Extension tube, metal									
Extension tube, metal, ID 35	49	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	<input type="checkbox"/>
Repair kits									
Repair kit, C 40	50	2.639-873.0	1 piece(s)	ID 40				Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
Repair kit, ID 61	51	2.862-038.0	1 piece(s)	ID 61				Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.	<input type="checkbox"/>
Suction hoses (without connectors)									
Suction hose, DN 32 and 35 (without connectors)	52	6.389-838.0		32	10 m			Standard (not T 201 with ESB 28).	<input type="checkbox"/>
	53	6.389-839.0						(without connectors)	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Suction hoses complete									
Suction hose, complete	54	4.440-264.0	1 piece(s)	ID 61	4 m			4-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.	<input type="checkbox"/>
	55	4.440-328.0	1 piece(s)	ID 61	3 m			Industrial hose, PVC/elastomer with steel spiral, smooth inside	<input type="checkbox"/>
	56	4.440-467.0	1 piece(s)	ID 61	10 m			10-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.	<input type="checkbox"/>
Suction hose, complete, oil-resistant	57	4.440-613.0	1 piece(s)	ID 61	4 m			Oil-resistant.	<input type="checkbox"/>
	58	4.440-614.0	1 piece(s)	ID 61	10 m				<input type="checkbox"/>
Suction hose, complete, electrically conductive	59	4.440-616.0	1 piece(s)	ID 61	4 m			Electrically conductive.	<input type="checkbox"/>
Suction hose, complete	60	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
	61	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant	<input type="checkbox"/>
	62	4.440-463.0	1 piece(s)	ID 40	10 m			Electrically non-conductive 10.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
	63	4.440-466.0	1 piece(s)	ID 40	10 m			Electrically conductive, 10.0m, ID 40	<input type="checkbox"/>
Suction hose, complete, oil-resistant	64	4.440-612.0	1 piece(s)	ID 40	10 m			Oil-resistant.	<input type="checkbox"/>
Connecting sleeves									
Connecting adaptor, ID 27, electrically conductive.	65	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conductive.	<input type="checkbox"/>
Adapter, ID 32/35, with internal thread	66	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
Connecting adapter, ID 40, with internal thread	67	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	<input type="checkbox"/>
Connecting sleeve, ID 61, with female thread	68	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	<input type="checkbox"/>
Extension hoses (clip system)									
Extension hose	69	6.906-344.0	1 piece(s)	ID 40	2.5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	<input type="checkbox"/>
Other									
Pre-separator, 80 l	70	3.864-010.0	1 piece(s)					Complete container (80 l) and cover (ID 61). For coarse dirt and liquids (without suction hose).	<input type="checkbox"/>
Drum separator	71	3.864-012.0	1 piece(s)					Metal, from ID 61 to 61, only for liquids.	<input type="checkbox"/>
Cover separator -WRP	72	4.063-132.0	1 piece(s)					For vacuuming off the filter sand from a barrel by means of a NT	<input type="checkbox"/>
CS 40 Me	73	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>
Y-adapter kit									
Y-adapter kit	74	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	<input type="checkbox"/>
Connection adapter C ID (clip to cone), electrically conductive									
Connection adapter C DN 35	75	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description	
Connection adapter C DN 40	76	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
	77	5.407-111.0	1 piece(s)	ID 40				C 40 hose connector for DN 40 accessory, electrically conductive.	<input type="checkbox"/>
Connection adapter for power tools, clip-on, electrically conductive									
Connection adapter for power tools, C 35, electrically conductive	78	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
	79	5.453-048.0	1 piece(s)	ID 35				Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
Connection Adaptor for power tools, C 35, electrically conductive	80	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Connection adapter for power tools, C 35, electrically conductive	81	5.453-050.0	1 piece(s)	ID 35				Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
Connection Adaptor for power tools, C 35, electrically conductive	82	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	<input type="checkbox"/>
	83	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Adapter for electric power tools, screwable									
Adaptor for electric power tools, screwable, ID 35	84	2.639-129.0	1 piece(s)	ID 35				Adaptable three-step plastic sleeve for power tools. Designed to thread onto a DN 35 industrial suction hose. With fitting instructions.	<input type="checkbox"/>
Adapter for electric power tools, screwable, ID 35	85	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
	86	5.453-026.0	1 piece(s)	ID 35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	<input type="checkbox"/>
	87	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm. External diameter: 39 mm.	<input type="checkbox"/>
	88	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mm. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Expansion pieces (tube -> nozzle)									
Adapter	89	5.453-019.0	1 piece(s)	ID 40				From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducing sleeves									
Reducer	90	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reduction bushing	91	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	<input type="checkbox"/>
Reducers (tube -> nozzle)									
Reducer	92	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to ID 32	93	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Reduction/expansion adapter kit									
Set of reducers / adapter sleeves	94	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>
Target-group-specific accessory kits for vacuum cleaners									
Professional cleaning kit	95	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0



		Order no.	Quantity	ID	Length	Width	Price	Description	
Car cleaning accessory kit	96	2.862-166.0		ID 35				Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.	<input type="checkbox"/>
Industrial kit	97	2.637-355.0		ID 61				Target group-specific robust complete accessory set in DN 61 for vacuuming coarse dirt in industry, construction etc.	<input type="checkbox"/>
Swarf kit	98	2.640-760.0		ID 61				Target group-specific robust connection set in DN 61 for cleaning in conjunction with oil-resistant suction hose and rubber nozzle.	<input type="checkbox"/>
Modification kit, non-conductive media									
Attachment kit, non-conductive media Tact ² + Ap	99	2.642-602.0	1 piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0



		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order no.	Quantity	ID	Length / width	Price	Description	
Floor nozzles								
Floor nozzle, wet/dry	1	4.130-413.0	1 piece(s)	ID 61	500 mm		Aluminium, oil-proof, 500 mm, with hight-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)	<input type="checkbox"/>
Other nozzles								
Rubber suction nozzle, 45°	2	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>
Scratcher and scraper nozzle, metal	3	6.903-360.0	1 piece(s)	ID 61	104 mm		Scratcher and scraper tool DN 61, sheet metal, 117 mm	<input type="checkbox"/>
Surface nozzle, aluminium	4	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	<input type="checkbox"/>
Crevice tools								
Crevice nozzle, plastic	5	6.900-222.0	1 piece(s)	ID 61	370 × 64 mm		Grout nozzle, plastic, 370 mm	<input type="checkbox"/>
Adapters and spare parts								
IVC accessories adapter for wet/dry vacuum cleaners	6	6.902-002.0	1 piece(s)	ID 52			For using IVC accessories on NT vacuum cleaners.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.