Eaton LPJ-50SPI

LOW-PEAK

Catalog Number: LPJ-50SPI

Eaton Bussmann series LPJ fuse, 50 A, Dual, Class J, With indicator, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC Vdc|300 kAIC at 600 V, Standard

General specifications



Eaton Bussmann series LPJ fuse

UPC

051712626392

Product Height

2.38 in

Product Weight

0.18 lb

Compliances

RoHS Compliant

CE Marked

Catalog Number

LPJ-50SPI

Product Length/Depth

1.06 in

Product Width

1.06 in

Warranty

Not Applicable



Electrical rating

Amperage Rating

50 A

Interrupt rating

300 kAIC at 600 Vac 100 kAIC Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class J

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

With Indicator

Special features

Indicating, High in-rush current motor protection

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

LPJ-50SPI~LOW PEAK CLASS J T/D

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPJ-50SPI

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia