



Wiha. Premium Tools
for Professionals.

Wiha SoftFinish® electric. The Safe & Comfortable Insulated VDE Screwdriver.



*Insulation moulded
directly onto blade
offers maximum safety.*



*Ergonomic handle
geometry with
SoftFinish® surface
gives highest
possible comfort.*





Applications on live equipment are subject to very special requirements. The focus is on absolute user safety and Wiha demonstrates this with a wealth of details.

The high quality blade insulation is moulded directly onto the blade and therefore guarantees safety when working on live equipment up to 1500 V DC or 1000 V AC. To maintain this safety, each screwdriver of the SoftFinish® electric series is individually tested in a water bath at 10.000 Volts according to DIN EN 60900.

The roll-off protection and the special handle geometry offer optimum handling and electrical safety, even in critical applications. Furthermore, the exclusive SoftFinish® handle shape allows maximum user comfort.

SoftFinish® electric Advantages:

- Insulation moulded directly onto blade
- Tested to the professional GS Standard
- Safety when working up to 1000 V AC and 1500 V DC
- Each screwdriver is individually tested in a water bath at 10.000 Volts according to DIN EN 60900 (IEC 900)
- Multi-component SoftFinish® handle provides maximum user comfort
- Ergonomically perfect handle design
- Imprinted screw symbol on handle end for fast identification





Wiha. Premium Tools
for Professionals.

Wiha SoftFinish[®]electric. The Safe & Comfortable Insulated VDE Screwdriver.

VDE Sets for Slotted & Phillips Screws.

VDE Sets for Slotted, Pozidriv & TORX[®] Screws.



1000 V
EN 60900

320 NK 6 VDE Slotted/Phillips Screwdriver Set, 6-pcs.
Insulation up to 1000 V AC, GS-Mark.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, black-finish.

Insulation moulded directly onto blade.

Handle: Ergonomic Wiha SoftFinish[®] handle, multi-component with roll-off protection.

Standards: Manufactured acc. to DIN EN 60900 (IEC 900), each tool individually tested in a water bath at 10 000 Volts.

Application: For electrical applications up to 1000 V AC.

831-335



1000 V
EN 60900

320 NZK 6 SO VDE Slotted/Pozidriv Screwdriver Set, 6-pcs.
Insulation up to 1000 V AC, GS-Mark.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, black-finish.

Insulation moulded directly onto blade.

Handle: Ergonomic Wiha SoftFinish[®] handle, multi-component with roll-off protection.

Standards: Manufactured acc. to DIN EN 60900 (IEC 900), each tool individually tested in a water bath at 10 000 Volts.

Application: For electrical applications up to 1000 V AC.

Order-No.	Series					
00833 8						1
⌀ 320 N		3.0x100	4.0x100	5.5x125	6.5x150	
⊕ 321 N		PH 1	PH 2			

Order-No.	Series					
25477 3						1
⌀ 320 N		2.5x75	3.5x100	4.5x125	5.5x125	
⊕ 324		PZ 1	PZ 2			



1000 V
EN 60900

320 NK 7 VDE Slotted/Phillips Screwdriver Set with Voltage Tester, 7-pcs.
Insulation up to 1000 V AC, GS-Mark.

Order-No.	Series					
00834 5						1
⌀ 320 N		2.5x75	4.0x100	5.5x125	6.5x150	
⊕ 321 N		PH 1	PH 2			
⌀ 255-3		3.0 Voltage Tester				



1000 V
EN 60900

325 NK 6 VDE Pozidriv/TORX[®] Screwdriver Set, 6-pcs.
Insulation up to 1000 V AC, GS-Mark.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, black-finish.

Insulation moulded directly onto blade.

Handle: Ergonomic Wiha SoftFinish[®] handle, multi-component with roll-off protection.

Standards: Manufactured acc. to DIN EN 60900 (IEC 900), each tool individually tested in a water bath at 10 000 Volts.

Application: For electrical applications up to 1000 V AC.

Order-No.	Series					
26126 9						1
⊕ 324		PZ 1	PZ 2			
⊕ 325		T10	T15	T20	T25	