

## FEATURES

- Manufactured from black Nylon 6 filament
- Encased in an electro galvanised mild steel channel
- Instructions supplied with the product

## RS PRO Aluminium, Nylon Black Brush Strip, 60mm x 13 mm x 12mm

RS Stock No.: 326-9943



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

A range of RS PRO brush strips designed to seal the gap between the bottom of a door and the floor. Brush strips can be attached to the bottom of a door and act as a draught excluder to prevent draughts and keep in the heat. The brush also prevents dust and debris like leaves and litter from entering the threshold of a building or factory from outside. The strip can be cut to size to provide an accurate fit to any door.

### Options available for RS PRO Aluminium Nylon Black Brush Strip:

- [326-9808](#) - 90 degree 19 mm x 6.7 mm x 6.7 mm
- [326-9842](#) - 90 degree 25 mm x 7.9 mm x 7.6 mm
- [326-9870](#) - 90 degree 32 mm x 7.9 mm x 7.6 mm
- [326-9886](#) - 45 degree 32 mm x 6.7 mm x 6.5 mm
- [326-9892](#) - 90 degree 45 mm x 7.9 mm x 7.6 mm
- [326-9915](#) - 90 degree 50 mm x 7.9 mm x 7.6 mm
- [326-9943](#) - 90 degree 60 mm x 13 mm x 12 mm
- [326-9959](#) - 45 degree 60 mm x 13.2 mm x 12 mm
- [326-9971](#) - 90 degree 75 mm x 13 mm x 12 mm
- [326-9993](#) - 90 degree 115 mm x 13 mm x 12 mm

## General Specifications

|                     |   |
|---------------------|---|
| <b>Product Type</b> | Strip Brush   |
| <b>Material</b>     | Aluminium, Nylon  |
| <b>Colour</b>       | Black   |
| <b>Applications</b> | Bottom of revolving doors, Roller shutters, Loading bay doors, Gates and fences, Household doors, Garage doors, Sheds, Kennel doors |

## Mechanical Specifications

|                       |                    |
|-----------------------|--------------------|
| <b>Dimensions</b>     | 60mm x 12mm x 13mm |
| <b>Length</b>         | 60mm               |
| <b>Width</b>          | 12mm               |
| <b>Height</b>         | 13mm               |
| <b>Mounting angle</b> | 90°                |

## Operation Environment Specifications

|                                    |                |
|------------------------------------|----------------|
| <b>Operating Temperature Range</b> | -50°C to 100°C |
|------------------------------------|----------------|

