



NT 70/2 Me Classic *SEA

The NT 70/2 Me Classic is a robust, powerful and easy-to-use dual-motor wet and dry vacuum cleaner with a 70-litre container for coarse dirt, dust and liquids.

1 Robust and easy to transport

Extremely mobile on all surfaces thanks to the robust chassis, large wheels and metal castors.

3 Convenient servicing

Sensationally fast: the Easy Service Concept allows removal of the turbine in just 44 seconds.

2 Excellent suction power

2 powerful turbines ensure outstanding suction power.

4 Vacuum without filter bags

The two-motor NT Classic vacuum cleaners are fitted with the triedand-tested K\u00e4rcher cartridge filter.

TECHNICAL DATA AND EQUIPMENT





NT 70/2 Me Classic *SEA

- Strong suction powerSimple turbine change
- Drain hose

Order no. 1.667-225.0 EAN code 4039784620292 Air flow rate I/s 53 Vacuum mbar / kPa 225 / 22.5 Container capacity I 70 Max. rated input power W 2300 Cable length m 7.5 Sound pressure level dB(A) 76 Number of motors 2 Frequency Hz 50-60 Voltage V 220-240 Weight kg 18.5 Dimensions (L × W × H) mm 580 × 510 × 850	Technical data		
Air flow rate I/s 53 Vacuum mbar / kPa 225 / 22.5 Container capacity I 70 Max. rated input power W 2300 Cable length m 7.5 Sound pressure level dB(A) 76 Number of motors 2 Frequency Hz 50-60 Voltage V 220-240 Weight kg 18.5	Order no.		1.667-225.0
Vacuum mbar / kPa 225 / 22.5 Container capacity I 70 Max. rated input power W 2300 Cable length m 7.5 Sound pressure level dB(A) 76 Number of motors 2 Frequency Hz 50-60 Voltage V 220-240 Weight kg 18.5	EAN code		4039784620292
Container capacity I 70 Max. rated input power W 2300 Cable length m 7.5 Sound pressure level dB(A) 76 Number of motors 2 Frequency Hz 50-60 Voltage V 220-240 Weight kg 18.5	Air flow rate	I/s	53
Max. rated input power W 2300 Cable length m 7.5 Sound pressure level dB(A) 76 Number of motors 2 Frequency Hz 50-60 Voltage V 220-240 Weight kg 18.5	Vacuum	mbar / kPa	225 / 22.5
Cable length m 7.5 Sound pressure level dB(A) 76 Number of motors 2 Frequency Hz 50-60 Voltage V 220-240 Weight kg 18.5	Container capacity	1	70
Sound pressure level dB(A) 76 Number of motors 2 Frequency Hz 50-60 Voltage V 220-240 Weight kg 18.5	Max. rated input power	W	2300
Number of motors 2 Frequency Hz 50-60 Voltage V 220-240 Weight kg 18.5	Cable length	m	7.5
Frequency Hz 50-60 Voltage V 220-240 Weight kg 18.5	Sound pressure level	dB(A)	76
Voltage V 220-240 Weight kg 18.5	Number of motors		2
Weight kg 18.5	Frequency	Hz	50-60
	Voltage	V	220-240
Dimensions (L × W × H) mm 580 × 510 × 850	Weight	kg	18.5
	Dimensions (L × W × H)	mm	580 × 510 × 850

ACCESSORIES FOR NT 70/2 ME CLASSIC *SEA 1.667-225.0













					Ι			I	
		Order no.	Quantity	ID	Length	Width	Price	Description	
Crevice nozzles									
Crevice nozzle	1	9.770-877.0	1 piece(s)	ID 40	300 mm			Plastic.	
Cartridge filter paper									
Cartridge filter, paper	2	6.907-038.0	1 piece(s)					Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.	•
Bend, plastic									
Plastic bend	3	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	
Floor nozzles									
Floor nozzle, wet	4	9.770-880.0	1 piece(s)	ID 40		360 mm		Wet and dry floor nozzle	
Floor nozzle, dry	5	9.770-949.0	1 piece(s)	ID 40		350 mm		Plastic dry floor nozzle with side rollers and brush strips.	
Suction tubes, metal					•				
Suction tube	6	6.900-275.0	1 piece(s)	ID 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	-
Suction hoses complete									
Suction hose, complete	7	9.770-881.0	1 piece(s)	ID 40	2.5 m			Plastic.	
Car cleaning nozzles									
Car nozzle	8	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Other									
CS 40 Me	9	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	

 $[\]blacksquare$ Included in the scope of supply. $\hfill\Box$ Available accessories.