



Tracker

Mobility and Stability

in all terrains for a more
Profitable, Safer Workplace



Maintenance **Tasks**



Process **Inspection**



Indoor **Outdoor**



Australian **Made**

TrackerPro Model Shown

www.stockmaster.co

StockMaster™
SAFETY AT EVERY STEP

StockMaster Tracker is an Auto-Safe and easy to use mobile, all terrain platform ladder.

StockMaster Tracker is a very versatile and easy to use mobile work platform. With two large diameter wheels it moves easily over sealed and unsealed surfaces or slopes making it ideal for indoor or outdoor use. Featuring a Tilt, Steer and Brake control it is fast and easy to move around. Take hold of the control, raise the unit to the mobile position and to move to the job. Release the control and Tracker automatically returns to the stationary mode where it is braked and totally stable.

One control does it all creating a much safer product.

With the Tilt, Steer and Brake control actuated, you are positioned away from the front of the ladder to allow a normal walking step. Tracker moves easily to the job in much less time than competing products and requires no set up when you get there. Tracker is easier and faster to move around and saves time on the job.

StockMaster TrackerPro features a Safety Rail system that can be adjusted to suit your job, providing improved ergonomics and easy access for maintenance, inspection, manufacturing processes and many other tasks, and with TrackerPro you are protected against accidentally stepping off the front of the platform. Featuring the unique and fully automatic StockMaster Auto-Gate TrackerPro frees your hands to carry an item and still maintain a safe grip as you leave or enter the workspace.

StockMaster Tracker Platform Ladders . . .

- ✓ Move easily over sealed or unsealed surfaces and slopes
- ✓ Reposition quickly and require no set-up
- ✓ Are complete with a safety railing system that can be adjusted to suit the job*
- ✓ Are equipped with an automatic closing gate at the platform entry*
- ✓ Are designed and tested to a 150 kg load rating
- ✓ Meet Australian, New Zealand, US and European Union Standards and, there is a size to suit your job.

TrackerPro*



Tracker is easier and faster to move around and saves time on the job.



With two large diameter wheels Tracker moves easily over sealed and unsealed surfaces.




StockMaster TrackerPro features a Safety Rail system that can be adjusted to your task.

StockMaster Tracker is a modular design enabling parts replacement in the event of accidental damage. It is manufactured from high-quality materials and built to last. With reasonable care StockMaster Tracker will give many years of service, and get the job done.

StockMaster Tracker meets or exceeds all the requirements of the Australian / New Zealand standard AS/NZS 1892.1:1996, US standard ANSI-ASC A14.2 - 2007 and the European Standard EN 131: Parts 1 and 2

Stockmaster™ TRACKER



Specifications January 2009

Model	A	B	C
SM-T3	860	840	1210
SM-T4	1145	895	1340
SM-T5	1435	935	1470
SM-T6	1720	975	1600
SM-T7	2005	1015	1730
SM-T8	2295	1055	1860
SM-T9	2580	1095	1990
SM-T10	2865	1135	2120
SM-T11	3155	1175	2250
SM-T12	3440	1215	2380
SM-T13	3725	1255	2510
SM-T14	4015	1295	2640

Note : All dimensions in millimetres