

PNEUMATIC & ELECTRICAL LOCKOUT

Lockout is a choice you make.
Safety is the destination LOTOTO achieve

Lototo




Lototo

Our electrical lockout products will help you properly shut down electrical systems including: push-buttons, rotary, wall switches, plugs and much more.

PNEUMATIC QUICK-DISCONNECT LOCKOUT

Part No.	Description
LS01	Fits 12, 13, 16mm screwed joints.




- Made from engineering plastic nylon PA.
- No need to install a straight interlock valve, can be isolated pneumatic power with lower cost and more convenience.
- Hole in the center of the device allows permanent storage on the air hose and a loop on the side can be used to hang the hose and lockout device.
- Can be equipped with padlocks, lock shackle diameter of 1/4"(6.4mm) or 9/32"(7.1mm).

Part No.	Description
LS02	Suitable for 7-20mm gas source

AIR SOURCE LOCKOUT

- Made from 304 stainless steel, corrosion resistance.
- Prevents pneumatic fitting from being connected to pressurized air source.
- Fits virtually all male pneumatic fittings found in manufacturing facilities.
- Measures 1-3/8" wide x 7-3/4" length x 1/8" thick (3.5cm x 19.6cm x 0.3cm).
- Suitable for 2 padlocks, lock shackle diameter ≤ 8.5mm.



CYLINDER TANK LOCKOUT


Part No.	A	B	C	Hole diameter
LS031	92	40	45	9
LS032	81	34	29	8
LS033	83	37	31	8



- Made from durable ABS.
- The whole product is metal-free for superior spark proof and chemical resistance.
- Resistant to cracking and abrasion extreme weather and temperature conditions.
- Can be equipped together with hasps and padlocks.

AIR SOURCE LOCKOUT


Part No.	Description
LS04	The neck rings up to 35mm



- Made from engineering plastic ABS.
- Prevent accesses to the main cylinder valve.
- Accommodates neck rings up to 35mm, and max diameter inside 83mm.
- Easy and efficient installation to save your time.
- Can be locked with 2 padlocks, lock shackle diameter up to 8.5mm.
- Lock with one padlock, lock shackle diameter up to 11mm.

Part No.	Description
L487	For 110V plugs
L487L	For 220V plugs
L488	For large 220V/500V plugs


ELECTRICAL PLUG LOCKOUT



- Made from rugged ABS.
- Prevent plugs from being inserted into the wall outlet, suitable for all kinds of industrial plugs.
- The plug completely sits inside the unit with the cable being fed through an access hole inside.
- Can be locked with 2-4 padlocks, lock shackle diameter up to 7mm.

PNEUMATIC PLUG LOCKOUT

Part No.	Description
LP04	Can lock 5 kinds of pneumatic plug lockout with diameter: 9mm, 10mm, 11mm, 12mm, 20mm



- Made from durable ABS.
- Several different hole sizes can be applied for a variety of electrical plugs.
- Holes are designed to fit "necked down" pneumatic male fittings commonly attached to compressed air hoses.
- Available for all kinds of electrical and pneumatic plugs.
- Recommended to use in combination with a padlock for added safety, up to 4 padlocks with shackle diameter up to 7mm.

EMERGENCY STOP LOCKOUT



Part No.	Description
LB01	Height: 31.6mm; outer diameter: 49.6mm; inner diameter 22mm
LB01M	Height: 31.6mm; outer diameter: 49.6mm; inner diameter 25mm
LB02	Height: 31.6mm; outer diameter: 49.6mm; inner diameter 30mm
Tape	With tape, final model add T, such as NT-B01T, NT-B01MT, NT-B02T.



- Made from durable transparent PC.
- Fits on press or screw emergency stop button.
- Easily used and permanently prevent workers from operating carelessly.
- Fits both 22mm~30mm diameter switches.

Part No.	Description
LS2151	One set, Accepts lock shackles up to 8mm in diameter.
LS2151-1	Locking diameter: 22mm
LS2151-2	Locking diameter: 31mm
LS2151-3	3M tape

EMERGENCY STOP LOCKOUT



- Made of transparent PC.
- It prohibits access to a switch or control.
- Horse-show shaped retrofit base can be used on raised nameplates and off-center installation to accommodate rotary switch knobs.
- Accommodates buttons up to 50mm diameter and 45mm tall.
- Fits both 31mm and 22mm diameter switches.

EMERGENCY STOP LOCKOUT




Part No.	Description
LB04	height 36mm, diameter of 22mm



- Made from high strength transparent glass resin PC.
- Install on the controller button forever, avoid accidentally touch.

SHIP TYPE SWITCH LOCKOUT



Part No.	Description
LB04	L 38.5 x W30 x H18mm




- Rocker Switch Lockout.
- Made of transparent PC.
- Prohibits access to a switch or control.
- Prevents workers from operating for a mistake.
- Suit for the rocker switch outer size 25 x 31mm (such as switch model KCD4).


Part No.	Description
LB05	Hole diameter: 22mm
LB06	Hole diameter: 30mm

EMERGENCY STOP LOCKOUT

- Made of transparent PC.
- Prohibits access to a switch or control.
- Fits 22mm~30mm diameter switches.
- Prevents workers from operating for a mistake.



EMERGENCY STOP LOCKOUT



Part No.	Description
LB07	Hole diameter: 22mm; inner height: 35mm
LB08	Hole diameter: 30mm; inner height: 35mm



- Made from durable transparent PC.
- Fits on press or screw emergency stop button.
- Easily used and permanently prevent workers from operating carelessly.
- Fits both 22mm~30mm diameter switches.

EMERGENCY STOP LOCKOUT




- Made from durable transparent PC.
- Fits on press or screw emergency stop button.

Part No.	Description
LB09	Hole diameter: 22.5mm; inner height: 47mm
LB10	Hole diameter: 30mm; inner height: 47mm



- Easily used and permanently prevent workers from operating carelessly.
- Fits both 22.5mm~30mm diameter switches.

Part No.	Description
L453L	450mm(L) × 245mm(W)
L453XL	660mm(L) × 245mm(W)



- Made from flexible and durable fabric.
- Effectively locks out odd size and large electrical connectors and hoist controls.

SAFETY LOCKOUT BAG



- Flexible and durable ripstop nylon bag fits easily in safety tool boxes.
- Warning sign can be customized.


MANHOLE LOCKOUT BAG



Part No.	Description
LS201CS	Size: 485mm(W) × 420mm(H) cable lockout need to buy separately.

- Made from wear resisting polyester cloth.
- With 5 meters cable lockout, can lock kinds of manhole.
- Print warning sign on the surface, warning sign can be customized.

DISCONNECTOR LOCKOUT



- The base is made of engineering plastic ABS and the main rod is made of nylon PA.
- The back self-adhesive track can be permanently fixed to the switchboard, simply clean the disk and paste it, without drilling.

Part No.	Description
LCL11	Suitable for 35~85mm disconnecter



- Lock the 35~85mm height disconnecter.
- Colored bars indicates the switch position. Red bar means the switch is in the off state, green bar means the switch is in the on state.

Part No.	Description
LL08	Suit for the knife switch handle less 130mm, diameter 15.2mm.

- Made of engineering plastic PC.
- It is suitable for the knife switch whose length is less than 130mm, the diameter is 15.2mm, and the base length, width and height are not more than 110mm × 42.5mm × 60mm.



INDUSTRIAL PLUG LOCKOUT



- Made from engineering plastic ABS material.
- With a compact, light body, professional for locking most types of industrial plugs.
- Labels can be customized.


Part No.	Description
LLP11	Suitable for 6~125A industrial plugs



- Universally used to lock out all sizes of industrial plugs without any tools needed.
- Suggested to be used together with padlocks. Hasps can be used together for multiple usage.

WALL SWITCH BUTTON LOCKOUT

Part No.	Description
LW12	Size of the base: 75mm x 75mm & 88mm x 88mm



- Made from transparent high-strength glass resin PC material.
- Permanently installed on the wall switch or switch and other electrical appliances, you need to open the lock to operate.
- Removable base and side parts. Hole design on both sides, can also lock the plug on the wall, not easy to pull out.
- Can be fixed by tapping screws or 3M double-sided tape.

Part No.	Description
LW02	Size: 158mm x 64mm x 98mm

- Made from transparent high-strength glass resin PC material.
- Permanently installed on all kinds of switches and other electrical appliances, you need to open the lock to operate that prevent accidental collision.
- Can be fixed by tapping screws or 3M double-sided tape.

WALL SWITCH BUTTON LOCKOUT



WALL SWITCH LOCKOUT

Part No.	Description
LW04	Size: 98mm x 98mm x 55mm



- Made from transparent high-strength glass resin PC material.
- Permanently installed on all kinds of switches and other electrical appliances, you need to open the lock to operate that prevent accidental collision.
- Can be fixed by tapping screws or 3M double-sided tape.

Part No.	Description
LW05	Size: 80mm x 80mm x 60mm


- Made from transparent high-strength glass resin PC material.
- Easy to install, just paste it on the switch cabinet.
- Used for chemical industry, power station, steel, workshop and other equipment maintenance safety protection.
- It is suitable for change-over switch or industrial electric switch with external dimension less than 65MM.

WALL SWITCH BUTTON LOCKOUT



WALL SWITCH BUTTON LOCKOUT


Part No.	Description
LW41	Hole diameter: 26mm(L) x 12mm(W)
LW03	Hole diameter: 27mm(L) x 14mm(W)



- Made from transparent high-strength glass resin PC material.
- Suitable for locking US standard wall switch.
- Easily used and permanently prevent workers from operating carelessly.

Part No.	Description
LX12	Lock knob switch, switch, etc.
LX13	Lock button switches, keyholes of power distribution cabinets, etc.
LX14	Lock cabinet door, electrical handle hole, low voltage drawer cabinet, etc.
LX15	Lock switch cabinet handle, switch, etc.
LX16	Lock switch, handle switch, etc.

MULTI-FUNCTIONAL INDUSTRIAL ELECTRICAL LOCKOUT



- The lock body is made of ABS and the metal is made of iron chrome.
- Can achieve a variety of non-standard electrical or distribution cabinet lock.
- Can be fixed by screws or 3M double-sided tape.
- Different shapes of locks can be designed according to customer requirements.

