

## FEATURES

- Replacement solenoid coil
- MA manufacturer series
- Compatible with MH series, MNH series
- Power supply voltage of 24 V DC
- Power consumption of 3 W
- Coil is compatible with NAMUR solenoid-spring valves
- RoHS compliant for restricted hazardous substances
- Meets Electrostatic Control Standards ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007

## RS PRO 24V dc 3W Replacement Solenoid Coil, Compatible with MH Series, MNH Series

RS Stock No.: 784-0082



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

Use this replacement solenoid coil from RS PRO in applications that use pneumatic solenoid and control valves to control the flow of pressurised air or gas. This type of equipment is typically found in commercial environments such as food, drink and pharmaceutical production lines.

## General Specifications

<b>Manufacturing Series</b>	MA
<b>Compatible With</b>	MH Series, MNH Series
<b>Industry Connector Interface</b>	Form B DIN/ISO 436 50
<b>Application</b>	Automatic irrigation systems, food processing and pneumatic automation.

## Electrical Specifications

<b>Power Supply Voltage</b>	24V dc
<b>Power Consumption</b>	3W

## Operation Environment Specifications

<b>Minimum Operating Temperature</b>	-10°C
<b>Maximum Operating Temperature</b>	50°C

## Approvals

<b>Compliance/Certifications</b>	ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007, RoHS
----------------------------------	---

