

FEATURES

- 5-piece end mill kit
- Screwed shank end mills
- HSS material
- Cutter diameters ranging from 8 mm to 20 mm
- Centre cutting
- Overall length of 100 mm

RS PRO HSS End Mill, 8 mm, 10 mm, 12 mm, 16 mm, 20 mm Cut Diameter BS122/4

RS Stock No.: 136-8073



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Data Sheet



Product Description

The five-piece end mill set from RS PRO is designed for use in professional or domestic settings to help shape and cut different materials. Suitable for centre cutting of ferrous or non-ferrous materials, the end mills work effectively in a variety of applications including plunging, drilling or ramping.

The kit features screwed shank end mills for greater security when connecting to a drill. The kit includes five cutters with diameters of 8 mm, 10 mm, 12 mm, 16 mm and 20 mm. The bits are made from high-speed steel (HSS) and can maintain performance when exposed to high temperatures while improving accuracy and efficiency. The four-flute design allows a faster speed and is suitable for peripheral or finish milling.

General Specifications

Cutter Diameter	8 mm, 10 mm, 12 mm, 16 mm, 20 mm
Material	HSS
Overall Length	100 mm
Shank Type	Screwed
Centre Cutting	Yes

				$\overline{}$		••	
- 1	$\mathbf{n} \mathbf{n} \mathbf{n}$	$\mathbf{n} \cdot \mathbf{n}$	-	_~	$\mathbf{n} \mathbf{o} \mathbf{o}$	*10-1	tions
•	/11=10-1					116.01	

					-
ect	rica	า รถ	ecit	ıcat	ions

Protection Category

Classification

eCl@ss (Version)	
UNSPSC (Version)	

Data Sheet



Approvals

Declarations	
Hazardous Area Certification	
Standards Met	BS122/4

Similar Products

Stock No.	Brand	Product Name	Attribute 1	Attribute 2	Attribute 3

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories