


Anchor Mount Cable Ties



MC001999


MP003162

Specifications

Material : Nylon 6/6 Polyamide
 Colour : Natural
 Flammability Rating : UL94V-2
 Operating Temperature : +32°F to +185°F

Diagram


MC001999



Part Number	A Inches (mm) ±0.02 (0.52)	B Inches (mm) ±0.011 (0.3)	C Inches (mm) ±0.011 (0.3)	D Inches (mm) ±0.011 (0.3)	E Inches (mm) ±0.014 (0.36)
MC001999	0.771 (19.6)	0.197 (5)	0.146 (3.7)	0.204 (5.2)	0.374 (9.5)

Diagram

MP003162



Part Number	A Inches (mm) ±0.02 (0.52)	B Inches (mm) ± 0.012 (0.3)	C Inches (mm) ± 0.012 (0.3)	D Inches (mm) ± 0.017 (0.43)	E Inches (mm) ± 0.014 (0.36)	F Inches (mm) ± 0.012 (0.3)	ANSI/UL 94 Flamability Rating
MP003162	0.752 (19.1)	0.165 (4.2)	0.213 (5.4)	0.394 (10)	0.244 (6.2)	0.205 (5.2)	V-2

Part Number Table

Description	Hole Size Inches (mm)	Screw Size Inches (mm)	Quantity	Part Number
Anchor Mount Cable Ties	0.14 (3.7)	#6	Pack of 100	MC001999
	0.16 (4.2)	#8		MP003162


Screw Mount Cable Ties



Specifications

Material : Nylon 6/6 Polyamide
 Flammability Rating : UL94V-2
 Operating Temperature : -40°F to 185°F
 Plenum Rating : AH-2
 UL & CSA : Type 21

Diagram



Part Number	A Inch (mm) ±0.01 (0.254)	B Inch (mm) ±0.01 (0.254)	C Inch (mm) ±0.005 (0.127)	D Inch (mm) ±0.01 (0.254)	E Inch (mm) ±0.005 (0.127)	F Inch (mm) ±0.005 (0.127)	G Inch (mm) ±0.005 (0.127)	H Inch (mm) ±0.005 (0.127)	Screw Size	ANSI/UL 94 Mtl Flammability Rating
MP001692	0.6 (15.24)	0.38 (9.652)	0.2 (5.08)	0.27 (6.858)	0.065 (1.651)	0.132 (3.352)	0.27 (6.858)	0.1 (2.54)	#4	94 V-2
MP001693	0.6 (15.24)	0.38 (9.652)	0.2 (5.08)	0.27 (6.858)	0.065 (1.651)	0.132 (3.352)	0.27 (6.858)	0.1 (2.54)		
MP001694	0.6 (15.24)	0.38 (9.652)	0.2 (5.08)	0.27 (6.858)	0.065 (1.651)	0.16 (4.064)	0.28 (7.112)	0.1 (2.54)	#6	
MP001695	0.6 (15.24)	0.38 (9.652)	0.2 (5.08)	0.27 (6.858)	0.065 (1.651)	0.16 (4.064)	0.28 (7.112)	0.1 (2.54)		
MP001696	0.9 (22.86)	0.63 (16.002)	0.35 (8.89)	0.38 (9.652)	0.125 (3.175)	0.27 (6.858)	0.49 (12.446)	0.13 (3.302)	1/4	
MP001697	0.9 (22.86)	0.63 (16.002)	0.35 (8.89)	0.38 (9.652)	0.125 (3.175)	0.27 (6.858)	0.49 (12.446)	0.13 (3.302)		
MP001699	0.9 (22.86)	0.63 (16.002)	0.35 (8.89)	0.38 (9.652)	0.125 (3.175)	0.21 (5.334)	0.43 (10.922)	0.13 (3.302)	#10	
MP001701	0.6 (15.24)	0.38 (9.652)	0.2 (5.08)	0.27 (6.858)	0.065 (1.651)	0.188 (4.775)	0.325 (8.255)	0.1 (2.54)	#8	
MC002000	0.6 (15.24)	0.38 (9.652)	0.2 (5.08)	0.27 (6.858)	0.065 (1.651)	0.188 (4.775)	0.325 (8.255)	0.1 (2.54)		
MC002001	0.9 (22.86)	0.63 (16.002)	0.35 (8.89)	0.38 (9.652)	0.125 (3.175)	0.21 (5.334)	0.43 (10.922)	0.13 (3.302)	#10	

Part Number Table

Description	Quantity	Part Number
Cable Tie Mount, Natural, Nylon 6/6, #4 Screw size for 120lb Cable Ties	100/Pack	MP001692
Cable Tie Mount, Black, Nylon 6/6, #4 Screw size for 120lb Cable Ties		MP001693
Cable Tie Mount, Natural, Nylon 6/6, #6 Screw size for 120lb Cable Ties		MP001694
Cable Tie Mount, Black, Nylon 6/6, #6 Screw size for 120lb Cable Ties		MP001695
Cable Tie Mount, Natural, Nylon 6/6, 1/4 Screw size for 120lb Cable Ties		MP001696
Cable Tie Mount, Black, Nylon 6/6, # 1/4 Screw size for 120lb Cable Ties		MP001697
Cable Tie Mount, Black, Nylon 6/6, #10 Screw size for 120lb Cable Ties		MP001699
Cable Tie Mount, Black, Nylon 6/6, #8 Screw size for 120lb Cable Ties		MP001701
Cable Tie Mount, Natural, Nylon 6/6, #8 Screw size for 120lb Cable Ties		MC002000
Cable Tie Mount, Natural, Nylon 6/6, #10 Screw size for 120lb Cable Ties		MC002001


Identification Plate Cable Tie



Specifications

Material	: Nylon 6/6 Polyamide
Colour	: Natural
Flammability Rating	: UL94V-2
Operating Temperature	: +32°F to +185°F

Diagram



Part Number	A Inches (mm) ±0.004 (0.1)	B Inches (mm) ±0.014 (0.35)	C Inches (mm) ±0.012 (0.3)	D Inches (mm) ±0.012 (0.3)	E Inches (mm) ±0.004 (0.1)
MC002004	1.661 (42.2)	0.834 (21.2)	0.197 (5)	0.079 (2)	0.047 (1.2)

Part Number Table

Description	Quantity	Part Number
Identification Plate Cable Tie	Pack of 100	MC002004

Cable Tie Installation Tool



Features

- Cost effective and lightweight durable tool saves time
- Quickly tensions and automatically cuts off excess strap
- No sharp protrusion to cause snags, cuts or abrasions to cables, hoses or users
- Tie Rating: 18-50lb / 80-222n

Part Number Table

Description	Quantity	Part Number
Cable Tie Installation Tool	1	MC002006

Cable Tie Removal Tool




Features

- Removes cable ties and lacing without harming bundled items
- Cut the ties, not the wires
- Comfortable and easy to use
- Versatile for all cable tie widths
- Heat treated alloy steel provides long life

Specifications

Type : Cable Tie Removal Tool
 Colour : Yellow
 Cable Tie Sizes : 18 - 250lb. / 80 - 1,112N

Diagram



Dimensions

Part Number	A	B	C	D	E
	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
PP002263	6.63 (168.402)	2.34 (59.436)	0.47 (11.938)	0.39 (9.906)	0.25 (6.35)

Part Number Table

Description	Part Number
Cable Tie Removal Tool, Yellow	PP002263

Cable Tie Removal Tool with Wire Stripper




Features

- Removes cable ties and lacing without harming bundled items
- Precisely strip 10 to 22 gauge wires
- Comfortable and easy to use
- Versatile for all cable tie widths
- Produces clean cuts
- Heat treated alloy steel provides long life

Specifications

Type : Cable Tie Removal Tool w/ Wire Stripper
 Colour : Red
 Cable Tie Sizes : 18 - 250lb. / 80 - 1,112N

Diagram



Dimensions

Part Number	A	B	C	D	E
	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
PP002264	6.63 (168.402)	2.34 (59.436)	0.47 (11.938)	0.39 (9.906)	0.25 (6.35)

Part Number Table

Description	Part Number
Cable Tie Removal Tool with Wire Stripper, Red	PP002264

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.