Terminal Block 5.0mm Pitch

multicomp PRO

RoHS Compliant



Features

- · Fixed screw connection technology,safe and reliable
- Different poles can be combined through the side lock
- · Universal installation method to ensure a high degree of flexibility in device design

Specifications

Conductor cross section solid Conductor cross section flexible AWG Strip length	: 0.75mm ² to 1.5mm ² : 0.75mm ² to 1.5mm ² : 26AWG to 14AWG : 6mm	
Electrical parameters UL Rated voltage (B) Rated current (B)	: 300V : 12A	
Electrical parameters IEC Rated current Rated current(III/2) Rated surge voltage(III/2)	: 250V / 15A : 250V : 2KV	
Item properties Type of installation Pin arrangement Connection method Screwdriver Screw thread Pitch	: PCB welding : Single row in a straight line : Screw connection : Slotted screwdriver : M3 : 5mm	
Material data Contact material Contact point metal surface Insulation Materials	: Copper alloy : Tin-plated : PA66	
Environmental data Ambient temperature (operation)	: -40°C to 105°C	

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

multicomp PRO

Terminal Block 5.0mm Pitch

Part Number Table

Description	No. of Ways	Part Number
Terminal Block, PCB, Screw	2	MP012049
	3	MP012050
	4	MP012051
	5	MP012052
	6	MP012053
	7	MP012054
	8	MP012055
	9	MP012056
	14	MP012057
	15	MP012058

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

