

Features

- Taped seams
- Phone pocket
- Detachable hood
- Two-way zipper
- CE certified

RS PRO RT30 - Hi-Vis Traffic Jacket

RS Stock No.: 918-5911



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Hi Vis Jackets



Product Description

The RS PRO RT32 – Hi-Vis Traffic Jacket is certified to the Railway Group Standard GO/RT 3279, this jacket meets the stringent safety requirements the standard requires. Features include taped waterproof seams and multiple storage pockets.

300D Industry

A comprehensive range of single and combination garments in a highly durable, EN343 certified fabric including some new cleverly designed and innovative styles.

High Visibility

High Visibility Warning Clothing - Our High-Visibility range is fully certified and tested to EN ISO 20471 & EN343 standards, ideal for those who will not compromise on style, comfort, protection and performance. These garments are designed to keep you warm, dry and visible in all conditions.

General Specifications

| Collection | 300D Industry | | | | |
|----------------|---|--|--|--|--|
| Range | High Visibility | | | | |
| Shell Fabric | 300D Industry 190g | | | | |
| Lining Fabric | 100% Polyester 60g | | | | |
| Filling Fabric | 100% Polyester 170g | | | | |
| Features | CE certified | | | | |
| | • 5XL | | | | |
| | Taped seams | | | | |
| | Phone pocket | | | | |
| | Detachable hood | | | | |
| | Two-way zipper | | | | |
| Warnings | Wash with like colours. Do not dry clean. | | | | |
| LIC | Machine wash warm, mild process. Wash with like colours. Do | | | | |
| US | not bleach. Drip line dry. Do not iron. Do not dry clean. | | | | |

Hi Vis Jackets



Approvals

| Standards | ANSI/ISEA 107-2015 TYPE R CLASS 3* | | | |
|----------------|--|--|--|--|
| | • EN ISO 20471 Class 3 | | | |
| | • GO/R T 3279 Issue 8 | | | |
| | • EN 343 Class 3:1 | | | |
| | EN 3 4 2 NONE (0.503m² K/W(B), X, 3, 2) | | | |
| | ANSI/ISEA 107-2010 Class 3:2 | | | |
| Certifications | CE certified | | | |

| Colour | Len | Wid | Hgt | Weight (Kg) | Cubic (m³) | EAN13 | DUN14 |
|--------|------|------|------|-------------|------------|---------------|----------------|
| Orange | 65.0 | 45.0 | 44.0 | 1.1600 | 0.1287 | 5036108057672 | 15036108637444 |