

## FEATURES

- Spring latch with excellent anti-corrosion properties
- Operating tension 13kgf
- Latch to catch distance 46mm

## Stainless Steel, Spring Loaded Latch

RS Stock No.: 726-4166



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

RS PRO stainless steel toggle latch and catch (sold separately). Toggle latches are a type of mechanical fastener and are also known as over centre fasteners, draw latches, and quick release fasteners and offer secure and easy fastening when locked. The unique cam action design makes the toggle latch strong and reliable and the quick release function means it can open quickly. When choosing a toggle latch you need to consider the maximum load to which it will be subject to as each latch and hook has been designed for a maximum load. RS PRO have a great range of stainless steel and steel toggle latches and door latches to suit large or small-scale applications including high strength latches, lockable, adjustable and non-adjustable options.

[726-4166](#) - Stainless steel spring latch with pushbutton

Dimensions: length 61 mm x width 29 mm x depth 16 mm

[726-4169](#) - Catch for stainless steel spring latch

## General Specifications

<b>Material</b>	Stainless Steel
<b>Spring Loaded</b>	Yes
<b>Operating Tension</b>	13kgf
<b>Application</b>	Cases and containers, Enclosures, Industrial machinery, food containers and marine equipment, light duty applications

## Mechanical Specifications

<b>Dimensions</b>	61mm x 29mm x 16mm
<b>Depth</b>	16mm
<b>Length</b>	61mm
<b>Width</b>	29mm

## Approvals

<b>Compliance/Certifications</b>	2011/65/EU and 2015/863
----------------------------------	-------------------------



7264166 S Steel Latch

7264169 S Steel Catch Plate

