

FEATURES

- UV-resistant, Halogen free, non toxic
- 316 grade stainless steel, for extra corrosive environments
- The epoxy coating are resistant to fading, stress cracking, abrasion, impact, salt spray and typical airborne pollutants
- Smoother edges for safe handling
- Prevent the corrosion between dissimilar materials.
- Fireproof

RS PRO SEMI-COATED BALL-LOCK 316 STAINLESS STEEL CABLE TIES

RS Stock No.: 2242233



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- **Self locking design for fast and secure installation.**
- **Resistant to UV light and suitable for use outdoors and indoors.**
- **Superior corrosion resistance in corrosive industrial, marine atmospheres, salt water and chemical environments.**
- **Ideal for petrochemical, industries, power stations, mining, ship-building, offshore, and other aggressive environments.**

General Specifications

Series	CT-SS-BL
Type	Non-Releasable
Colour	Black
Material	Stainless Steel Grade 316
Coating	Polyester
Application	Bundling & Tightening
Resistant To	Chemical and Corrosion resistance
UV Resistant	Yes
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	+150°C
Fire Behaviour	Self-Extinguishing
Quantity	100

Mechanical Specifications

Length	200mm
Width	4.6mm
Minimum Tensile Strength	530N
Maximum Bundle Diameter	50mm

Additional Information

Custom Tariff Number	73269098
-----------------------------	----------

Approvals

Declarations	ROHS Declaration of Conformity
Standards Met	UL

Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
CT-SS-BL-8C-200	RS PRO	CT-SS-BL-8C-200	Black	Polyester coated SS316	1150N

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories