



ZMVV7.E96029

Wire Connectors and Soldering Lugs Certified for Canada

Wire Connectors and Soldering Lugs Certified for Canada

See General Information for Wire Connectors and Soldering Lugs Certified for Canada

K S TERMINALS INC

8 E 3RD RD, CHANGPIN IND PARK

PO BOX 66

HSIEN SHI

CHANG HWA, TAIWAN

E96029

Insulated blade type crimp connectors. Cat. No. DBD followed by 1-9, 1-10, 1-11, 1-13, 1-14, 1-18, S1-18, 5-10, 5-14, S5-14, S5-18; Cat. No. DBD followed by 2-9, 2-10, 2-13, L2-13, LL2-13, 2-14, L2-14, S2-18, 2-18, L2-18; Cat. No. DBNY followed by 1-9, 1-10, 1-11, 1-13, 1-14, 1-18, S1-18, 2-9, 2-10, 2-13, 2-14, 2-18, 5-10, 5-14, 5-18, L2-13, LL2-13, L2-14, L2-18, S2-18, S5-14, S5-18; Cat. No. DBNYD followed by 1-9, 1-10, 1-11, 1-13, 1-14, 1-18, S1-18, 2-9, 2-10, 2-13, 2-14, 2-18, 5-10, 5-14, 5-18, L2-13, LL2-13, L2-14, L2-18, S2-18, S5-14, S5-18; Cat. No. DBV followed by 1-9, Y1-9, 1-10, Y1-10, 1-11, Y1-11, 1-13, Y1-13, 1-14, Y1-14, 1-18, S1-18, Y1-18, YS1-18, 2-9, Y2-9, 2-10, Y2-10-, 2-13, Y2-13, YL2-13, YLL2-13, 2-14, Y2-14, YL2-14, 2-18, Y2-18, YL2-18, YS2-18, 5-10, Y15-10, 5-14, Y5-14, YS5-14, 5-18, Y5-18, YS5-18, L2-13, LL2-13, L2-14, L2-18, S2-18, S5-14, S5-18; Cat. No. DBVE followed by 1-9, 1-10, 1-11, 1-13, 1-14, 1-18, S1-18, 2-9, 2-10, 2-13, 2-14, 2-18, 5-10, 5-14, 5-18, L2-13, LL2-13, L2-14, L2-18, S2-18, S5-14, S5-18; Cat. No. DBVB followed by 1-9, 1-10, 1-11, 1-13, 1-14, 1-18, S1-18, 2-9, 2-10, 2-13, L2-13, LL2-13, 2-14, L2-14, S2-18, 2-18, L2-18, 5-10, S5-14, 5-14, S5-18, 5-18; Cat. No. DBVEB followed by 1-9, 1-10, 1-11, 1-13, 1-14, 1-18, S1-18, 2-9, 2-10, 2-13, L2-13, LL2-13, 2-14, L2-14, S2-18, 2-18, L2-18, 5-10, S5-14, 5-14, S5-18, 5-18; Cat. No. DBVYB followed by 1-9, 1-10, 1-11, 1-13, 1-14, 1-18, S1-18, 2-9, 2-10, 2-13, L2-13, LL2-13, 2-14, L2-14, S2-18, 2-18, L2-18, 5-10, S5-14, 5-14, S5-18, 5-18; Cat. No. DBNYB followed by 1-9, 1-10, 1-11, 1-13, 1-14, 1-18, S1-18, 2-9, 2-10, 2-13, L2-13, LL2-13, 2-14, L2-14, S2-18, 2-18, L2-18, 5-10, S5-14, 5-14, S5-18, 5-18.

Insulated butt splice crimp type connectors. Cat. No. BNY followed by 1, 2, 5; Cat. No. BNYF followed by 1, 2, 5; Cat. No. BNYT followed by 1, 2, 5; Cat. No. BNYTF followed by 1, 2, 5; Cat. No. BV followed by 1, 2, 5; Cat. No. BVT, followed by 1, 2, 5, 8, 14, 22, 38; Cat. No. BVS, followed by 1, 2, 5; Cat. No. BVSB, followed by 1, 2, 5; Cat. No. WBNY, followed by 1, 2, 5; Cat. Nos. BV1, BV2, BV5, BVT1, BVT2, BVT5, BNYD1, BNYD1MM, BNYD2, BNYD2MM, BNYD5, BNYD5MM, BNYDF1, BNYDF1MM, BNYDF2, BNYDF2MM, BNYDF5, BNYDF5MM, WBNYD1, WBNYD1MM, WBNYD2, WBNYD2MM, WBNYD5, WBNYD5MM, WBNYDF1, WBNYDF1MM, WBNYDF2, WBNYDF2MM, WBNYDF5; Cat. Nos. BN1, WBNYDF5MM, BN2, BN5, BNT1, BNT2, BNT5.

Insulated flange spade type crimp connectors. Cat. No. FSD followed by 1-4, 1-5, 2-3.7, 2-4, 2-5, 5-3.7, 5-4, 5-5, L1-3.7, L2-4, S1-3.7; Cat. No. FSD followed by 1-3.2, S1-3.2, 1-3.7, L1-4, L1-5, L2-3.7, M2-4, L2-5, S5-3.7, S5-4, S5-5; Cat. No. FSNY followed by 1-3.2, S1-3.2, 1-3.7, 1-4, L1-4, 1-5, L1-5, 2-3.7, L2-3.7, 2-4, M2-4, 2-5, L2-5, 5-3.7, S5-3.7, 5-4, S5-4, 5-5, S5-5, L1-3.7, L2-4, S1-3.7; Cat. No. FSNYD followed by 1-4, 1-5, 2-3.7, 2-4, 2-5, 5-3.7, 5-4, 5-5, L1-3.7, L2-4, S1-3.7, 1-3.2, S1-3.2, 1-3.7, L1-4, L1-5, L2-3.7, M2-4, L2-5, S5-3.7, S5-4, S5-5; Cat. No. FSV followed by 1-3.2, S1-3.2, Y1-3.2, YS1-3.2, 1-3.7, Y1-3.7, YS1-3.7, YL1-3.7, 1-4, L1-4, Y1-4, YL1-4, 1-5, L1-5, Y1-5, YL1-5, 2-3.7, L2-3.7, Y2-3.7, YL2-3.7, 2-4, M2-4, Y2-4, YM2-4, YL2-4, 2-5, L2-5, Y2-5, YL2-5, 5-3.7, S5-3.7, Y5-3.7, YS5-3.7, 5-4, S5-4, Y5-4, YS5-4, 5-5, S5-5, Y5-5, YS5-5, L1-3.7, L2-4, S1-3.7; Cat. No. FSVE followed by 1-3.2, S1-3.2, 1-3.7, 1-4, L1-4, 1-5, L1-5, 2-3.7, L2-3.7, 2-4, M2-4, 2-5, L2-5, 5-3.7, S5-3.7, 5-4, S5-4,

5-5, S5-5, L1-3.7, L2-4, S1-3.7; Cat. No. FSVB followed by 1-3.2, S1-3.2, 1-3.7, S1-3.7, L1-3.7, 1-4, L1.4, 1-5, L1-5, 2-3.7, L2-3.7, 2-4, M2-4, L2-4, 2-5, L2-5, 5-3.7, S5-3.7, 5-4, S5-4, 5-5, S5-5; Cat. No. FSVEB followed by 1-3.2, S1-3.2, 1-3.7, S1-3.7, L1-3.7, 1-4, L1-4, 1-5, L1-5, 2-3.7, L2-3.7, 2-4, M2-4, L2-4, 2-5, L2-5, 5-3.7, S5-3.7, S5-4, 5-4, S5-5, 5-5; Cat. No. FSVYB followed by 1-3.2, S1-3.2, 1-3.7, S1-3.7, L1-3.7, 1-4, L1-4, 1-5, L1-5, 2-3.7, L2-3.7, 2-4, M2-4, L2-4, 2-5, L2-5, 5-3.7, S5-3.7, S5-4, 5-4, S5-5, 5-5; Cat. No. FSNYB followed by 1-3.2, S1-3.2, 1-3.7, S1-3.7, L1-3.7, 1-4, L1-4, 1-5, L1-5, 2-3.7, L2-3.7, 2-4, M2-4, L2-4, 2-5, L2-5, 5-3.7, S5-3.7, S5-4, 5-4, S5-5, 5-5.

Insulated hook type crimp connectors, Cat. No. HD followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8; Cat. No. HNY followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8; Cat. No. HNYD followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8; HV followed by 1-3.7, Y1-3.7, 1-4, Y1-4, 1-5, Y1-5, 1-6, Y1-6, 2-3.7, Y2-3.7, 2-4, Y2-4, 2-5, Y2-5, 2-6, Y2-6, 5-3.7, Y5-3.7, 5-4, Y5-4, 5-5, Y5-5, 5-6, Y5-6, 5-8, Y5-8; Cat. No. HVE followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8; Cat. No. HVB followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8; Cat. No. HVEB followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8; Cat. No. HVYB followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8; Cat. No. HNYB followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8.

Insulated lipped blade crimp connectors, Cat. No. LBD followed by 1-3, 1-4.6, 2-3, 2-4.6, 5-3, 5-4.6; Cat. No. LBNYD, followed by 2-3, 2-4.6; Cat. No. LBNY followed by 1-3, 1-4.6, 2-3, 2-4.6, 5-3, 5-4.6; Cat. No. LBNYD followed by 1-3, 1-4.6, 5-3, 5-4.6; Cat. No. LBV followed by 1-3, Y1-3, 1-4.6, Y1-4.6, 2-3, Y2-3, 2-4.6, Y2-4.6, 5-3, Y5-3, 5-4.6, Y5-4.6; Cat. No. LBVE followed by 1-3, 1-4.6, 2-3, 2-4.6, 5-3, 5-4.6; Cat. No. LBVB followed by 1-3, 1-4.6, 2-3, 2-4.6, 5-3, 5-4.6; Cat. No. LBVEB followed by 1-3, 1-4.6, 2-3, 2-4.6, 5-3, 5-4.6; Cat. No. LBVYB followed by 1-3, 1-4.6, 2-3, 2-4.6, 5-3, 5-4.6; Cat. No. LBNYB followed by 1-3, 1-4.6, 2-3, 2-4.6, 5-3, 5-4.6.

Insulated locking spade crimp connectors, Cat. No. LSD followed by 1-3.7, 2-3.7, 2-4, S2-4, 5-3.7, 5-4, 5-5, 5-6; Cat. No. LSDL followed by 1-4, 1-5, 2-4, 2-5; Cat. Nos. LSDS1-4, 1-5, 2-5; Cat. No. LSNY followed by 1-3.7, 2-3.7, 2-4, 5-3.7, 5-4, 5-5, 5-6, L1-4, L1-5, L2-4, L2-5, S1-4, S1-5, S2-4, S2-5; Cat. No. LSNYD followed by 1-3.7, 2-3.7, 2-4, 5-3.7, 5-4, 5-5, 5-6, L1-4, L1-5, L2-4, L2-5, S1-4, S1-5, S2-4, S2-5; Cat. No. LSV followed by 1-3.7, Y1-3.7, 2-3.7, 2-4, YS1-4, YL1-4, YS1-5, YL1-5, Y2-3.7, Y2-4, YS2-4, YL2-4, YS2-5, YL2-5, 5-3.7, Y5-3.7, 5-4, Y5-4, 5-5, Y5-5, 5-6, Y5-6, L1-4, L1-5, L2-4, L2-5, S1-4, S1-5, S2-4, S2-5; Cat. No. LSVE followed by 1-3.7, 2-3.7, 2-4, 5-3.7, 5-4, 5-5, 5-6, L1-4, L1-5, L2-4, L2-5, S1-4, S1-5, S2-4, S2-5; Cat. No. LSVB followed by 1-3.7, S1-4, L1-4, S1-5, L1-5, 2-3.7, 2-4, S2-4, L2-4, S2-5, L2-5, 5-3.7, 5-4, 5-5, 5-6; Cat. No. LSVEB followed by 1-3.7, S1-4, L1-4, S1-5, L1-5, 2-3.7, 2-4, S2-4, L2-4, S2-5, L2-5, 5-3.7, 5-4, 5-5, 5-6; Cat. No. LSVYB followed by 1-3.7, S1-4, L1-4, S1-5, L1-5, 2-3.7, 2-4, S2-4, L2-4, S2-5, L2-5, 5-3.7, 5-4, 5-5, 5-6; Cat. No. LSNYB followed by 1-3.7, S1-4, L1-4, S1-5, L1-5, 2-3.7, 2-4, S2-4, L2-4, S2-5, L2-5, 5-3.7, 5-4, 5-5, 5-6.

Insulated pin type connectors, Cat. No. PTD followed by 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13; Cat. No. PTNI followed by 1-7, 1-9, 1-10, 1-12, 1-13; Cat. No. PTNY followed by 1-7, 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13; Cat. No. PTNYB followed by 10-12, 16-13; Cat. No. PTVB followed by 1-7, 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13; Cat. No. PTVEB followed by 1-7, 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13; Cat. No. PTVYB followed by 1-7, 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13; Cat. No. PTNYB followed by 1-7, 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13; Cat. No. PTNYD followed by 1-7, 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13; Cat. No. PTV followed by 1-7, Y1-7, 1-9, Y1-9, 1-10, Y1-10, 1-12, Y1-12, 1-13, Y1-13, 1-14, Y1-14, 1-16, Y1-16, 2-9, Y2-9, 2-10, Y2-10, 2-12, Y2-12, 2-13, Y2-13, 2-16, Y2-16, 5-10, Y5-10, 5-13, Y5-13; Cat. No. PTVE followed by 1-7, 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13.

Insulated ring type crimp connectors, Cat. No. JRNYB, followed by 1-3.2, 1-5, 2-6, 2-8, 5-5, 5-6, 5-8, 5-10, L1-4, L2-4, L2-5, L5-4, M1-3.7, S2-3.7; Cat. No. JRVB, followed by 1-3.2, 1-3.2-S, 1-5, 1-5-S, 2-6, 2-6-S, 2-8, 2-8-S, 5-5, 5-5-S, 5-6, 5-6-S, 5-8, 5-8-S, 5-10, 5-10-S, L1-4, L1-4-S, L2-4, L2-4-S, L2-5, L2-5-S, L5-4, L5-4-S, M1-3.7, M1-3.7-S, S2-3.7, S2-3.7-S; Cat. No. R16, followed by 4F, 6F, 8F, 10F, 14F, 516F; Cat. No. RD followed by 1-3.2, 1-5, 1-6, 1-8, 1-10, 1-12, 2-3.2, 2-6, 2-8, 2-10, 2-12, 5-3.7, 5-5, 5-6, 5-8, 5-10, 5-12, 5-13, L1-3.7, L1-4, L1-5, L2-3.7, L2-4, L2-5, L5-4, M1-3.7, M2-3.7, M5-6, S1-3.7, S1-4, S2-3.7, S2-4, S2-5, S5-4; Cat. No. RD followed by 1-2.5, 1-14, 1-16, 1-20, S2-3.2, L2-3.2, 2-14, 2-16, 2-20, 5-3.2, 5-14, 5-16, 5-18, 5-20; Cat. No. RNI followed by 1-3.2, 1-5, 1-6, 1-8, 1-10, L1-3.7, L1-4, M1-3.7, S1-3.7, S1-4; Cat. No. RNY followed by 1-2.5, 1-3.2, 1-5, 1-6, 1-8, 1-10, 1-12, 1-14, 1-16, 1-20, 2-3.2, S2-3.2, L2-3.2, 2-6, 2-8, 2-9, 2-10, 2-12, 2-14, 2-16, 2-20, 5-3.2, 5-3.7, 5-3.7, 5-5, 5-5, 5-6, 5-6, 5-8, 5-8, 5-10, 5-10, 5-12, 5-13, 5-14, 5-16, 5-18, 5-20, L1-3.7, L1-4, L1-5, L2-3.7, L2-4, L2-5, L5-4, L5-4, M1-3.7, M2-3.7, M5-6, S1-3.7, S1-4, S2-3.7, S2-4, S2-5, S5-4, S5-4; Cat. No. RNYB followed by 8-3.7, 8-8, 8-10, 8-12, 14-4, 14-5, 14-8, 14-10, 14-11, 14-12, 22-4, 22-8, 22-10, 22-11, 22-12, 38-5, 38-11, 38-12, L8-4, L8-5, L8-6, L14-6,

L22-5, L22-6, L38-6, L38-8, L38-10, M8-5, S8-4, S8-5, S8-6, S14-6, S22-5, S22-6, S38-6, S38-8, S38-10; Cat. No. RNYD followed by 1-3.2, 1-5, 1-6, 1-8, 1-10, 1-12, 2-3.2, 2-6, 2-8, 2-10, 2-12, 5-3.7, 5-5, 5-6, 5-8, 5-10, 5-12, 5-13, L1-3.7, L1-4, L1-5, L2-3.7, L2-4, L2-5, L5-4, M1-3.7, M2-3.7, M5-6, S1-3.7, S1-4, S2-3.7, S2-4, S2-5, S5-4; Cat. No. RV followed by 1-2.5, Y1-2.5, 1-3.2, Y1-3.2, YS1-3.7, YM1-3.7, YL1-3.7, YS1-4, YL1-4, 1-5, Y1-5, L1-5, 1-6, Y1-6, 1-8, Y1-8, 1-10, Y1-10, 1-12, Y1-12, 1-14, Y1-14, 1-16, Y1-16, 1-20, Y1-20, 2-3.2, L2-3.2, S2-3.2, Y2-3.2, YS2-3.2, YL2-3.2, YS2-3.7, YM2-3.7, YL2-3.7, YS2-4, YL2-4, YS2-5, YL2-5, 2-6, Y2-6, 2-8, Y2-8, 2-9, 2-10, Y2-10, 2-12, Y2-12, 2-14, Y2-14, 2-16, Y2-16, 2-20, Y2-20, 3-4, S3-5, M3-5, L3-5, 3-6, 3-8, 3-10, 3-12, 5-3.2, Y5-3.2, 5-3.7, Y5-3.7, YS5-4, YL5-4, 5-5, Y5-5, 5-6, Y5-6, YM5-6, 5-8, Y5-8, 5-10, Y5-10, 5-12, Y5-12, 5-13, 5-14, Y5-14, 5-16, Y5-16, 5-18, Y5-18, 5-20, Y5-20, L1-3.7, L1-4, L1-5, L2-3.7, L2-4, L2-5, L5-4, M1-3.7, M2-3.7, M5-6, S1-3.7, S1-4, S2-3.7, S2-4, S2-5, S5-4; Cat. No. RVE followed by 1-2.5, 1-3.2, 1-5, 1-6, 1-8, 1-10, 1-12, 1-14, 1-16, 1-20, 2-3.2, S2-3.2, L2-3.2, 2-6, 2-8, 2-10, 2-12, 2-14, 2-16, 2-20, 5-3.2, 5-3.7, 5-5, 5-6, 5-8, 5-10, 5-12, 5-13, 5-14, 5-16, 5-18, 5-20, L1-3.7, L1-4, L1-5, L2-3.7, L2-4, L2-5, L5-4, M1-3.7, M2-3.7, M5-6, S1-3.7, S1-4, S2-3.7, S2-4, S2-5, S5-4; Cat. No. RNYD, followed by 1-2.5, 1-14, 1-16, 1-20, S2-3.2, L2-3.2, 2-14, 2-16, 2-20, 5-3.2, 5-14, 5-16, 5-18, 5-20; Cat. No. DRNY followed by 2-1, 2.5-1, 3-1, 3.5-1, S4-1, 4-1, S5-1, 5-1, 6-1, L6-1, 8-1, 10-1, L10-1, 3-2.5, 3.5-2.5, S4-2.5, 4-2.5, S5-2.5, 5-2.5, 6-2.5, 8-2.5, 10-2.5, L10-2.5, 12-2.5, 3.5-6, 4-6, 5-6, 6-6, L6-6, 8-6, 10-6, 12-6; Cat. No. DRV followed by 2-1, 2.5-1, 3-1, 3.5-1, S4-1, 4-1, S5-1, 5-1, 6-1, L6-1, 8-1, 10-1, L10-1, 3-2.5, 3.5-2.5, S4-2.5, 4-2.5, S5-2.5, 5-2.5, 6-2.5, 8-2.5, 10-2.5, L10-2.5, 12-2.5, 3.5-6, 4-6, 5-6, 6-6, L6-6, 8-6, 10-6, 12-6, E2-1, E2.5-1, E3-1, E3.5-1, ES4-1, E4-1, ES5-1, E5-1, E6-1, EL6-1, E8-1, E10-1, EL10-1, E3-2.5, E3.5-2.5, ES4-2.5, E4-2.5, ES5-2.5, E5-2.5, E6-2.5, E8-2.5, E10-2.5, EL10-2.5, E12-2.5, E3.5-6, E4-6, E5-6, E6-6, EL6-6, E8-6, E10-6, E12-6, Y2-1, Y2.5-1, Y3-1, Y3.5-1, YS4-1, Y4-1, YS5-1, Y5-1, Y6-1, YL6-1, Y8-1, Y10-1, YL10-1, Y3-2.5, Y3.5-2.5, YS4-2.5, Y4-2.5, YS5-2.5, Y5-2.5, Y6-2.5, Y8-2.5, Y10-2.5, YL10-2.5, Y12-2.5, Y3.5-6, Y4-6, Y5-6, Y6-6, YL6-6, Y8-6, Y10-6, Y12-6; Cat. No. RVB followed by 1-2.5, 1-3.2, S1-3.7, M1-3.7, L1-3.7, S1-4, L1-4, 1-5, L1-5, 1-6, 1-8, 1-10, 1-12, 1-14, 1-16, 1-20, S2-3.2, 2-3.2, L2-3.2, S2-3.7, M2-3.7, L2-3.7, S2-4, L2-4, S2-5, L2-5, 2-6, 2-8, 2-9, 2-10, 2-12, 2-14, 2-16, 2-20, 3-4, S3-5, M3-5, L3-5, 3-6, 3-8, 3-10, 3-12, 5-3.2, 5-3.7, S5-4, L5-4, 5-5, 5-6, M5-6, 5-8, 5-10, 5-12, 5-13, 5-14, 5-16, 5-18, 5-20; Cat. No. DRVB followed by 2-1, 2.5-1, 3-1, 3.5-1, S4-1, 4-1, S5-1, 5-1, 6-1, L6-1, 8-1, 10-1, L10-1, 3-2.5, 3.5-2.5, S4-2.5, 4-2.5, S5-2.5, 5-2.5, 6-2.5, 8-2.5, 10-2.5, L10-2.5, 12-2.5, 3.5-6, 4-6, 5-6, 6-6, L6-6, 8-6, 10-6, 12-6; Cat. No. RVEB followed by 1-2.5, 1-3.2, S1-3.7, M1-3.7, L1-3.7, S1-4, L1-4, 1-5, L1-5, 1-6, 1-8, 1-10, 1-12, 1-14, 1-16, 1-20, S2-3.2, 2-3.2, L2-3.2, S2-3.7, M2-3.7, L2-3.7, S2-4, L2-4, S2-5, L2-5, 2-6, 2-8, 2-9, 2-10, 2-12, 2-14, 2-16, 2-20, 5-3.2, 5-3.7, S5-4, L5-4, 5-5, 5-6, M5-6, 5-8, 5-10, 5-12, 5-14, 5-16, 5-18, 5-20; Cat. No. DRVEB followed by 2-1, 2.5-1, 3-1, 3.5-1, S4-1, 4-1, S5-1, 5-1, 6-1, L6-1, 8-1, 10-1, L10-1, 3-2.5, 3.5-2.5, S4-2.5, 4-2.5, S5-2.5, 5-2.5, 6-2.5, 8-2.5, 10-2.5, L10-2.5, 12-2.5, 3.5-6, 4-6, 5-6, 6-6, L6-6, 8-6, 10-6, 12-6; Cat. No. RVYB followed by 1-2.5, 1-3.2, S1-3.7, M1-3.7, L1-3.7, S1-4, L1-4, 1-5, L1-5, 1-6, 1-8, 1-10, 1-12, 1-14, 1-16, 1-20, S2-3.2, 2-3.2, L2-3.2, S2-3.7, M2-3.7, L2-3.7, S2-4, L2-4, S2-5, L2-5, 2-6, 2-8, 2-9, 2-10, 2-12, 2-14, 2-16, 2-20, 5-3.2, 5-3.7, S5-4, L5-4, 5-5, 5-6, M5-6, 5-8, 5-10, 5-12, 5-14, 5-16, 5-18, 5-20; Cat. No. DRVYB followed by 2-1, 2.5-1, 3-1, 3.5-1, S4-1, 4-1, S5-1, 5-1, 6-1, L6-1, 8-1, 10-1, L10-1, 3-2.5, 3.5-2.5, S4-2.5, 4-2.5, S5-2.5, 5-2.5, 6-2.5, 8-2.5, 10-2.5, L10-2.5, 12-2.5, 3.5-6, 4-6, 5-6, 6-6, L6-6, 8-6, 10-6, 12-6; Cat. No. RNYB followed by 1-2.5, 1-3.2, S1-3.7, M1-3.7, S1-4, L1-3.7, L1-4, 1-5, L1-5, 1-6, 1-8, 1-10, 1-12, 1-14, 1-16, 1-20, S2-3.2, 2-3.2, L2-3.2, S2-3.7, M2-3.7, L2-3.7, S2-4, L2-4, S2-5, L2-5, 2-6, 2-8, 2-9, 2-10, 2-12, 2-14, 2-16, 2-20, 5-3.2, 5-3.7, S5-4, L5-4, 5-5, 5-6, M5-6, 5-8, 5-10, 5-12, 5-14, 5-16, 5-18, 5-20; Cat. No. DRNYB followed by 2-1, 2.5-1, 3-1, 3.5-1, S4-1, 4-1, S5-1, 5-1, 6-1, L6-1, 8-1, 10-1, L10-1, 3-2.5, 3.5-2.5, S4-2.5, 4-2.5, S5-2.5, 5-2.5, 6-2.5, 8-2.5, 10-2.5, L10-2.5, 12-2.5, 3.5-6, 4-6, 5-6, 6-6, L6-6, 8-6, 10-6, 12-6.

Insulated spade type crimp connectors, Cat. No. SD followed by 1-3.2, 2-3.2, 5-3.7, 5-5, 5-8, L1-3.7, LL1-3.7, L1-4, L1-5, L1-6, L2-3.7, L2-4, L2-5, L2-6, L5-4, L5-6, M1-4, M2-4, S1-3.7, S1-4, S1-5, S1-6, LL2-3.7, S2-3.7, S2-4, S2-5, S2-6, S5-3.7, SS5-4, S5-4, S5-6; Cat. No. SNI followed by 1-3.2, L1-3.7, L1-4, L1-5, L1-6, M1-4, S1-3.7, S1-4, S1-5, S1-6; Cat. No. SNY followed by 1-3.2, 2-3.2, 5-3.7, 5-3.7, 5-5, 5-5, 5-8, L1-3.7, LL1-3.7, L1-4, L1-5, L1-6, L2-3.7, LL2-3.7, L2-4, L2-5, L2-6, L5-4, L5-4, L5-6, L5-6, M1-4, M2-4, S1-3.7, S1-4, S1-5, S1-6, S2-3.7, S2-4, S2-5, S2-6, S5-3.7, S5-4, S5-4, S5-4, S5-6, S5-6, SS5-4; Cat. No. SNYB followed by 8-5, 8-6, 14-6, 14-8; Cat. No. SNYD, followed by 1-3.2, 2-3.2, 5-3.7, 5-5, 5-8, L1-3.7, L1-4, L1-5, L1-6, L2-3.7, L2-4, L2-5, L2-6, L5-4, L5-6, M1-4, M2-4, S1-3.7, S1-4, S1-5, S1-6, S2-3.7, S2-4, S2-5, S2-6, S5-3.7, S5-4, S5-6, SS5-4; Cat. No. SV followed by 1-3.2, 2-3.2, 3-3.7, 3-4, 3-5, 3-6, 5-3.7, 5-5, 5-8, L1-3.7, LL1-3.7, L1-4, L1-5, L1-6, L2-3.7, LL2-3.7, L2-4, L2-5, L2-6, L5-4, L5-6, M1-4, M2-4, S1-3.7, S1-4, S1-5, S1-6, S2-3.7, S2-4, S2-5, S2-6, S5-3.7, S5-4, S5-6, SS5-4, Y1-3.2, YS1-3.7, YL1-3.7, YLL1-3.7, YS1-4, YM1-4, YL1-4, YS1-5, YL1-5, YS1-6, YL1-6, Y2-3.2, YS2-3.7, YL2-3.7, YLL2-3.7, YS2-4, YM2-4, YL2-4, YS2-5, YL2-5, YS2-6, YL2-6, YS5-3.7, Y5-3.7, YSS5-4, YS5-4, YL5-4, Y5-5, YS5-6, YL5-6, Y5-8; Cat. No. SVE followed by 1-3.2, 2-3.2, 5-3.7, 5-5, 5-8, L1-3.7, LL1-3.7, L1-4, L1-5, L1-6, L2-3.7, LL2-3.7, L2-4, L2-5, L2-6, L5-4, L5-6, M1-4, M2-4, S1-3.7, S1-4, S1-5, S1-6, S2-3.7, S2-4, S2-5, S2-6, S5-3.7, S5-4, S5-6, SS5-4; Cat. No. DSNY followed by 3-1, 3.5-1, 4-1, L4-1, 5-1, 6-1, 3-2.5, 3.5-2.5, 4-2.5, L4-2.5, 5-2.5, 6-2.5, 4-6, 5-6, 6-6, 8-6, 10-6; Cat. No. DSV followed by 3-1, 3.5-1, 4-1, L4-1, 5-1, 6-1, 3-2.5, 3.5-2.5, 4-2.5, L4-2.5, 5-2.5, 6-2.5, 4-6, 5-6, 6-6, 8-6, 10-6, E3-1, E3.5-1, E4-1, EL4-1, E5-1, E6-1, E3-2.5, E3.5-2.5, E4-2.5, EL4-2.5, E5-2.5, E6-2.5, E4-6, E5-6, E6-6, E8-6, E10-6, Y3-1, Y3.5-1, Y4-1, YL4-1, Y5-1, Y6-1, Y3-2.5, Y3.5-2.5, Y4-2.5, YL4-

2.5, Y5-2.5, Y6-2.5, Y4-6, Y5-6, Y6-6, Y8-6, Y10-6; Cat. No. SVB followed by 1-3.2, S1-3.7, L1-3.7-S, L1-6, LL1-3.7, L2-3.7-S, LL2-3.7, M1-4, M2-4, S1-4, S1-4-S, S1-5, S1-6, S2-4, S2-4-S, L1-4, 1-5, L1-5, 1-6, 2-3.2, S2-3.7, L2-3.7, S2-4, L2-4, S2-5, L2-5, S2-6, L2-6, 3-3.7, 3-4, 3-5, 3-6, S5-3.7, 5-3.7, SS5-4, S5-4, L5-4, 5-5, S5-6, L5-6, 5-8; Cat. No. DSVB followed by 3-1, 3.5-1, 4-1, L4-1, 5-1, 6-1, 3-2.5, 3.5-2.5, 4-2.5, L4-2.5, 5-2.5, 6-2.5, 4-6, 5-6, 6-6, 8-6, 10-6; Cat. No. SVEB followed by 1-3.2, S1-3.7, L1-3.7, LL1-3.7, S1-4, M1-4, L1-4, S1-5, L1-5, S1-6, L1-6, 2-3.2, S2-3.7, L2-3.7, LL2-3.7, S2-4, M2-4, L2-4, S2-5, L2-5, S2-6, L2-6, S5-3.7, 5-3.7, SS5-4, S5-4, L5-4, 5-5, S5-6, L5-6, 5-8; Cat. No. DSVEB followed by 3-1, 3.5-1, 4-1, L4-1, 5-1, 6-1, 3-2.5, 3.5-2.5, 4-2.5, L4-2.5, 5-2.5, 6-2.5, 4-6, 5-6, 6-6, 8-6, 10-6; Cat. No. SVYB followed by 1-3.2, S1-3.7, L1-3.7, LL1-3.7, S1-4, M1-4, L1-4, S1-5, L1-5, S1-6, L1-6, 2-3.2, S2-3.7, L2-3.7, LL2-3.7, S2-4, M2-4, L2-4, S2-5, L2-5, S2-6, L2-6, S5-3.7, 5-3.7, SS5-4, S5-4, L5-4, 5-5, S5-6, L5-6, 5-8; Cat. No. DSVYB followed by 3-1, 3.5-1, 4-1, L4-1, 5-1, 6-1, 3-2.5, 3.5-2.5, 4-2.5, L4-2.5, S-2.5, 6-2.5, 4-6, 5-6, 6-6, 8-6, 10-6; Cat. No. SNYB followed by 1-3.2, S1-3.7, L1-3.7, LL1-3.7, S1-4, M1-4, L1-4, S1-5, L1-5, S1-6, L1-6, 2-3.2, S2-3.7, L2-3.7, LL2-3.7, S2-4, M2-4, L2-4, S2-5, L2-5, S2-6, L2-6, S5-3.7, 5-3.7, SS5-4, S5-4, L5-4, 5-5, S5-6, L5-6, 5-8; Cat. No. DSNYB followed by 3-1, 3.5-1, 4-1, L4-1, 5-1, 6-1, 3-2.5, 3.5-2.5, 4-2.5, L4-2.5, 5-2.5, 6-2.5, 4-6, 5-6, 6-6, 8-6, 10-6.

Insulated multiple stud ring type crimp connectors, Cat. No. MSRNY followed by 1-3753, 2-3753, 5-3753.

Cat. Nos. MSRNYD followed by 1-3753, -2-3753, -5-3753.

Cat. Nos. MSRD followed by 1-3753, -2-3753, -5-3753.

Cat. No. MSRV followed by 1-3753, 2-3753, 5-3753, E1-3753, E2-3753, E5-3753, Y1-3753, Y2-3753, Y5-3753.

Cat. No. MSRVB followed by 1-3753, 2-3753, 5-3753; Cat. No. MSRVEB followed by 1-3753, 2-3753, 5-3753; Cat. No. MSRVYB followed by 1-3753, 2-3753, 5-3753; Cat. No. MSRNYB followed by 1-3753, 2-3753, 5-3753.

Insulated fork type crimp connectors, Cat. No. AD followed by 1-3.2, 1-3.7, 1-4, 1-5, 1-6, 1-8, 1-10, 2-3.2, 2-3.7, 2-4, 2-5, 2-6, 2-8, 2-10, 5-4, 5-5, 5-6, 5-8, 5-10.

Cat. No. ANY followed by 1-3.2, 1-3.7, 1-4, 1-5, 1-6, 1-8, 1-10, 2-3.2, 2-3.7, 2-4, 2-5, 2-6, 2-8, 2-10, 5-4, 5-5, 5-6, 5-8, 5-10.

Cat. No. AV followed by 1-3.2, 1-3.7, 1-4, 1-5, 1-6, 1-8, 1-10, 2-3.2, 2-3.7, 2-4, 2-5, 2-6, 2-8, 2-10, 5-4, 5-5, 5-6, 5-8, 5-10, E1-3.2, E1-3.7, E1-4, E1-5, E1-6, E1-8, E1-10, E2-3.2, E2-3.7, E2-4, E2-5, E2-6, E2-8, E2-10, E5-4, E5-5, E5-6, E5-8, E5-10, Y1-3.2, Y1-3.7, Y1-4, Y1-5, Y1-6, Y1-8, Y1-10, Y2-3.2, Y2-3.7, Y2-4, Y2-5, Y2-6, Y2-8, Y2-10, Y5-4, Y5-5, Y5-6, Y5-8, Y5-10.

Cat. Nos. SNYDLL1-3.7, -2-3.7, ANYD1-3.2, -1-3.7, -1-4, -1-5, -1-6, -1-8, -1-10, -2-3.2, -2-3.7, -2-4, -2-5, -2-6, -2-8, -2-10, -5-4, -5-5, -5-6, -5-8, -5-10.

Cat. No. AVB followed by 1-3.2, 1-3.7, 1-4, 1-5, 1-6, 1-8, 1-10, 2-3.2, 2-3.7, 2-4, 2-5, 2-6, 2-8, 2-10, 5-4, 5-5, 5-6, 5-8, 5-10; Cat. No. AVEB followed by 1-3.2, 1-3.7, 1-4, 1-5, 1-6, 1-8, 1-10, 2-3.2, 2-3.7, 2-4, 2-5, 2-6, 2-8, 2-10, 5-4, 5-5, 5-6, 5-8, 5-10; Cat. No. AVYB followed by 1-3.2, 1-3.7, 1-4, 1-5, 1-6, 1-8, 1-10, 2-3.2, 2-3.7, 2-4, 2-5, 2-6, 2-8, 2-10, 5-4, 5-5, 5-6, 5-8, 5-10; Cat. No. ANYB followed by 1-3.2, 1-3.7, 1-4, 1-5, 1-6, 1-8, 1-10, 2-3.2, 2-3.7, 2-4, 2-5, 2-6, 2-8, 2-10, 5-4, 5-5, 5-6, 5-8, 5-10.

Insulation displacement (T-Splice) connectors, Cat. Nos. 878006, 878106, 878206.

Non-insulated blade crimp connectors, Cat. No. DBNB followed by S1-8, 1-9, 1-10, 1-11, 1-13, 1-14, 1-18, 2-9, 2-10, 2-13, 2-14, 2-18, 5-10, 5-14, 5-18, L2-13, LL2-13, L2-14, L2-18, S2-18, S5-14, S5-18; Cat. No. DBN followed by 1-9, 1-10, 1-11, 1-13, 1-14, S1-18, 1-18, 2-9, 2-10, 2-13, L2-13, LL2-13, 2-14, L2-14, S2-18, 2-18, L2-18, 5-10, S5-14, 5-14, S5-18, 5-18.

Non-insulated butt splice crimp type connectors, Cat. No. BNT followed by 0.5, 1, 1-16, 2, 2-16, 3, 5, 5-20, 8, 14, 22, 22-58, 38, 38-64, 60, 60-72, 70, 80, 80-76, 100, 100-76, 150, 150-108, 180, 180-114, 200, 200-126, 325; Cat. No. DBNT followed by 1, 2.5, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150; Cat. No. JBNT, followed by 1, 2, 5, 8, 14, 22, 38, 60, 80, 100, 150, 200, 325.

Non-insulated flange spade crimp connectors, Cat. No. FSNB followed by 1-3.2, S1-3.2, 1-3.7, 1-4, L1-4, 1-5, L1-

5, 2-3.7, L2-3.7, 2-4, M2-4, 2-5, L2-5, 5-3.7, S5-3.7, 5-4, S5-4, 5-5, S5-5, L1-3.7, L2-4, S1-3.7; Cat. No. FSN followed by 1-3.2, S1-3.2, 1-3.7, S1-3.7, L1-3.7, 1-4, L1-4, 1-5, L1-5, 2-3.7, L2-3.7, 2-4, M2-4, L2-4, 2-5, L2-5, S5-3.7, 5-3.7, S5-4, 5-4, S5-5, 5-5.

Non-insulated hook crimp connectors, Cat. No. HNB followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8; Cat. Nos. HN followed by 1-3.7, 1-4, 1-5, 1-6, 2-3.7, 2-4, 2-5, 2-6, 5-3.7, 5-4, 5-5, 5-6, 5-8.

Non-insulated lipped blade crimp connectors, Cat. No. LBNB followed by 1-3, 1-4.6, 2-3, 2-4.6, 5-3, 5-4.6; Cat. No. LBN followed by 1-3, 1-4.6, 2-3, 2-4.6, 5-3, 5-4.6.

Non-insulated locking type crimp connectors, Cat. No. LSNB followed by 1-3.7, 2-3.7, 2-4, 5-3.7, 5-4, 5-5, 5-6, L1-4, L1-5, L2-4, L2-5, S1-4, S1-5, S2-4, S2-5; Cat. Nos. LSN followed by 1-3.7, S1-4, L1-4, S1-5, L1-5, 2-3.7, 2-4, S2-4, L2-4, S2-5, L2-5, 5-3.7, 5-4, 5-5, 5-6.

Non-insulated pin type crimp connectors, Cat. No. PTNB followed by 1-7, 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13, 10-12, 16-13; Cat. Nos. PTN followed by 1-7, 1-9, 1-10, 1-12, 1-13, 1-14, 1-16, 2-9, 2-10, 2-12, 2-13, 2-16, 5-10, 5-13.

Non-insulated ring type crimp connectors, Cat. No. JRNB, followed by 1-3.2, 1-5, 2-6, 2-8, 5-5, 5-6, 5-8, 5-10, L1-4, L2-4, L2-5, L5-4, M1-3.7, S2-3.7; Cat. Nos. R128, R164, R166, R168, R212, R214, R224, R226, R228, R238, R414, R438, R610, R614, R638, R810, R814, R838, R1210, R1214, R1238, R1610, R1614, R2210, R2214, R2516, R4516, R6516, R8516, R12516, R16516, R22516 followed by NB; Cat. No. RN1-2.5, 1-3.2, S1-3.7, M1-3.7, L1-3.7, S1-4, L1-4, 1-5, L1-5, 1-6, 1-8, 1-10, 1-12, 1-13, 1-14, 1-16, 1-20, S2-3.2, 2-3.2, L2-3.2, S2-3.7, M2-3.7, L2-3.7, S2-4, L2-4, S2-5, L2-5, 2-6, 2-8, 2-9, 2-10, 2-12, 2-14, 2-16, 2-20, 3-4, S3-5, M3-5, L3-5, 3-6, 3-8, 3-10, 3-12, 5-3.2, 5-3.7, S5-4, L5-4, 5-5, 5-6, M5-6, 5-8, 5-10, 5-12, 5-14, 5-16, 5-18, 5-20; Cat. No. RNB followed by 1-3.2, 1-5, 1-6, 1-8, 1-10, 1-12, 2-3.2, 2-6, 2-8, 2-10, 2-12, 5-3.7, 5-5, 5-6, 5-8, 5-10, 5-12, 5-13, 8-3.7, 8-8, 8-10, 8-12, 14-4, 14-5, 14-8, 14-10, 14-11, 14-12, S14-5, SS14-6, 22-4, 22-8, 22-10, 22-11, 22-12, S22-4, 38-5, 38-11, 38-12, 38-13, L1-3.7, L1-4, L1-5, L2-3.7, L2-4, L2-5, L5-4, L8-4, L8-5, L8-6, L14-6, L22-5, L22-6, L38-6, L38-8, L38-10, M1-3.7, M2-3.7, M5-6, M8-5, S1-3.7, S1-4, S2-3.7, S2-4, S2-5, S5-4, S8-4, S8-5, S8-6, S14-6, S22-5, S22-6, S38-6, S38-8, S38-10; Cat. No. RNB followed by 1-2.5, 1-14, 1-16, 1-20, L2-3.2, S2-3.2, 2-9, 2-14, 2-16, 2-20, 3-4, S3-5, M3-5, L3-5, 3-6, 3-8, 3-10, 3-12, 5-3.2, 5-14, 5-16, 5-18, 5-20, 8-14, 8-16, 8-18, 8-20, 14-14, 14-16, 14-18, 14-20, 22-14, 22-16, 22-18, 22-20, 38-14, 38-16, 38-18, 38-20.

Cat. No. DRNB followed by 2-0.5, 2.5-0.5, 3-0.5, 3.5-0.5, 4-0.5, 5-0.5, 2-1, 2.5-1, 3-1, 3.5-1, S4-1, 4-1, S5-1, 5-1, 6-1, L6-1, 8-1, 10-1, L10-1, 3-2.5, 3.5-2.5, S4-2.5, 4-2.5, S5-2.5, 5-2.5, 6-2.5, 8-2.5, 10-2.5, L10-2.5, 12-2.5, 4-6, 5-6, 6-6, 8-6, 10-6, 12-6, 5-10, 6-10, 8-10, 10-10, 12-10, 5-16, 6-16, 8-16, 10-16, 12-16, 5-25, 6-25, 8-25, 10-25, 12-25, 16-25, 6-35, 8-35, 10-35, 12-35, 16-35, 6-50, 8-50, 10-50, 12-50, 16-50, 6-70, 8-70, 10-70, 12-70, 16-70, 8-95, 10-95, 12-95, 16-95, 8-120, 10-120, 12-120, 16-120, 10-150, 12-150, 16-150, 10-185, 12-185, 16-185, 10-240, 12-240, 16-240; Cat. No. RNB followed by 60-6, 60-8, 60-10, 60-11, 60-12, 60-13, 60-14, 60-16, 60-18, 60-20, 60-22, 60-10-2B, 60-12-2B, 60-14-2B, 70-6, 70-8, 70-10, 70-11, 70-12, 70-13, 70-14, 70-16, 70-18, 70-20, 70-22, 70-10-2B, 70-12-2B, 70-14-2B, 80-6, 80-8, 80-10, 80-11, 80-12, 80-13, 80-14, 80-16, 80-18, 80-20, 80-22, 80-10-2B, 80-12-2B, 80-14-2B, 100-6, 100-8, 100-10, 100-11, 100-12, 100-14, 100-16, 100-18, 100-20, 100-22, 100-10-2B, 100-12-2B, 100-14-2B, 150-8, L150-8, 150-10, L150-10, 150-11, 150-12, L150-12, 150-14, 150-16, 150-18, 150-20, 150-22, 150-24, 150-27, 150-12-2B, 150-14-2B, 180-8, 180-10, 180-11, 180-12, L180-12, 180-14, 180-16, 180-18, 180-20, 180-22, 180-24, 180-27, 180-12-2B, 180-14-2B, 200-8, L200-8, 200-10, 200-11, 200-12, L200-12, 200-14, 200-16, L200-16, 200-18, 200-20, 200-22, 200-24, 200-27, 200-12-2B, 200-14-2B, 325-8, 325-10, 325-11, 325-12, L325-12, 325-14, 325-16, L325-16, 325-18, 325-20, 325-22, 325-24, 325-27, 325-12-2B, 325-14-2B; Cat. No. JRNB, followed by M8-5, S8-6, 8-8, 8-10, 14-5, S14-6, 14-8, 14-10, 14-12, L22-6, 22-8, L22-10, 22-12, L38-8, L38-10, 38-12, 60-8, 60-10, 60-12, 80-10, 80-12, 80-16, 100-10, 100-12, 100-16, 100-20, 150-10, 150-12, 150-16, 150-20, 200-12, 200-16, 200-20, 200-24, 325-16, 325-20, 325-24; Cat. No. TL followed by 35-6, 35-8, 35-10, 50-8, 50-10, 50-12, 70-8, 70-10, 70-12, 95-10, 95-12, 120-10, 120-12, 120-14, 120-16, 150-12, 150-14, 150-16, 185-12, 185-14, 185-16; Cat. No. TLAf followed by 16-10, 25-10, 35-10, 35-12, 50-10, 50-12, 70-10, 70-12, 95-10, 95-12, 120-10, 120-12, 16-10AR, 25-10AR, 35-10AR, 35-12AR, 50-10AR, 50-12AR, 70-10AR, 70-12AR, 95-10AR, 95-12AR, 120-10AR, 120-12AR; Cat. No. TLK followed by 6-4, 6-5, 6-6, 6-8, 6-10, 6-12, 10-5, 10-6, 10-8, 10-10, 10-12, 16-5, 16-6, 16-8, 16-10, 16-12, 25-5, 25-6, 25-8, 25-10, 25-12, 25-14, 35-6, 35-8, 35-10, 35-12, 35-14, 35-16, 50-6, 50-8, 50-10, 50-12, 50-14, 50-16, 50-20, 70-6, 70-8, 70-10, 70-12, 70-14, 70-16, 70-20, 95-8, 95-10, 95-12, 95-14, 95-16, 95-20, 120-8, 120-10, 120-12, 120-14, 120-16, 120-20; Cat. No. SQNBS followed by 22-5, 22-6, 22-8, 38-5, S38-5, 38-6, 38-8, 60-6, 60-8, 60-10, 80-8, 80-10, 80-12, 100-8, 100-10, 100-12, 150-8, 150-10, 150-12, 180-10, 180-12, 200-10, 200-12.

Non-insulated spade type crimp connectors, Cat. Nos. S128, S166, S168, S226, S228, S1210, S1610, S2210 followed by NB; Cat. No. SNB followed by 1-3.2, 2-3.2, 3-3.7, 3-4, 3-5, 3-6, 5-3.7, 5-5, 5-8, 8-5, 8-6, 14-6, 14-8, L1-3.7, LL1-3.7, L1-4, L1-5, L1-6, L2-3.7, LL2-3.7, L2-4, L2-5, L2-6, L5-4, L5-6, M1-4, M2-4, S1-3.7, S1-4, S1-5, S1-6, S2-3.7, S2-4, S2-5, S2-6, S5-3.7, S5-4, S5-6, SS5-4; Cat. No. SN1-3.2, S1-3.7, L1-3.7, LL1-3.7, S1-4, M1-4, L1-4, S1-5, L1-5, S1-6, L1-6, 2-3.2, S2-3.7, L2-3.7, LL2-3.7, S2-4, M2-4, L2-4, S2-5, L2-5, S2-6, L2-6, 3-3.7, 3-4, 3-5, 3-6, S5-3.7, 5-3.7, SS5-4, S5-4, L5-4, 5-5, S5-6, L5-6, 5-8; Cat. No. DSNB followed by 2-0.5, 3-0.5, 3.5-0.5, 4-0.5, 5-0.5, 3-1, 3.5-1, 4-1, L4-1, 5-1, 6-1, 3-2.5, 3.5-2.5, 4-2.5, L4-2.5, 5-2.5, 6-2.5, 4-6, 5-6, 6-6, 8-6, 10-6.

Non-insulated multiple stud ring type crimp connectors , Cat. Nos. MSRN1-3753, -2-3753, -5-3753; Cat. No. MSRN followed by 1-3753, 2-3753, 5-3753.

Non-insulated fork type crimp connectors, Cat. No. ANB followed by 1-3.2, 1-3.7, 1-4, 1-5, 1-6, 1-8, 1-10, 2-3.2, 2-3.7, 2-4, 2-5, 2-6, 2-8, 2-10, 5-4, 5-5, 5-6, 5-8, 5-10, 8-3.7, 8-4, 8-5; Cat. No. AN followed by 1-3.2, 1-3.7, 1-4, 1-5, 1-6, 1-8, 1-10, 2-3.2, 2-3.7, 2-4, 2-5, 2-6, 2-8, 2-10, 5-4, 5-5, 5-6, 5-8, 5-10.

Non-insulated parallel crimp connectors , Cat. No. PNT followed by 0.5, 1, L1-WB, 2, L2-WB, S3, 3, 5, L5, L5-WB, S8, 8, 14, L14, 22, L22, L22-58, 38, L38, L38-64, 60, 70, 80, 100, 150, 180, 200, 325; Cat. No. DPNT followed by 1, 2.5, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150; Cat. No. JPNT followed by 2, 5, 8, 14, 22, 38, 60, 70, 80, 100, 150, 180, 200, 325.

Last Updated on 2005-04-13

This page and all contents are Copyright © 2005 by Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2005 Underwriters Laboratories Inc.®"

Online Certifications Directory - Notice of Disclaimer

By accessing these Listings, Designs, Constructions, Systems, and Assemblies, the user acknowledges and accepts the terms and conditions upon which this service is made available.

THIS INFORMATION AND ALL RELATED MATERIALS, SUPPORT, AND SERVICES ARE MADE AVAILABLE BY UL FOR USE ONLY BY USERS FOR THEIR INTERNAL PURPOSES AND IS "AS IS," WITHOUT ANY REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

UL cannot and does not warrant that this information is current, accurate, or complete. This database contains the names of companies who have qualified to use the UL Mark and those products for which samples have been evaluated by UL and judged to be eligible for Listing. The manufacturer is not obligated to label all of his production. Accordingly, the appearance of a company's name or product in this database does not in itself assure those products are covered under UL's Listing and Follow-Up Service. Only those products bearing the appropriate UL Mark should be considered covered under UL's Listing and Follow-Up Service. Any reproduction or re-transmission of this information is prohibited unless reproduced or re-transmitted in its entirety, including this Notice of Disclaimer.

UL does not permit hyperlinking to this website without its express prior written consent and the execution of a *hyperlinking agreement*.