

**RoHS
Compliant**



Description

This product is a ultra soft high performance, glass fibre thermal interface pad.

Features

- 3W/m K thermal conductivity
- Single side adhesive
- Excellent material stability
- Suitable for high temperatures and low pressures
- Electrical insulation

Properties

Characteristic	Value	Test Method
Colour	Light grey	Visual
Thickness	0.5mm to 3mm	-
Thermal Conductivity	3W/mK	ASTM D5470
Adhesive Option	Single side	-
Thermal Impedance	<0.25°C-in ² /W	ASTM D5470
Specific Gravity	2.9g/cm ³	ASTM D792
Hardness (Shore OO)	45	ASTM D2240
Dielectric Strength	6kV/mm	ASTM D149
Dielectric constant (@1kHz)	12	ASTM D150
Operation Temperature	-40°C to +125°C	EN344
Volume resistivity (Ohm.cm)	10 ¹²	ASTM D257
Flame Rating	V-0	UL94

Part Number Table

Description	Part Number
Non-silicone Thermal Interface Pad, Light Grey, 3W/mK, 200mm × 200mm × 0.5mm	MPGCSP30NS-200-0.5A
Non-silicone Thermal Interface Pad, Light Grey, 3W/mK, 200mm × 200mm × 1mm	MPGCSP30NS-200-1.0A
Non-silicone Thermal Interface Pad, Light Grey, 3W/mK, 200mm × 200mm × 1.5mm	MPGCSP30NS-200-1.5A
Non-silicone Thermal Interface Pad, Light Grey, 3W/mK, 200mm × 200mm × 2mm	MPGCSP30NS-200-2.0A
Non-silicone Thermal Interface Pad, Light Grey, 3W/mK, 200mm × 200mm × 3mm	MPGCSP30NS-200-3.0A

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.