

Technical Datasheet

Create Date: 16.11.2017 - Seite 1/

Alu Grinding Protection



effective with all abrasives silicone-free

WEICON Alu Grinding Protection works like a cooling lubricant and separating agent during the grinding process. It lowers the temperature at the contact point and forms a silicone-free anti-adhesive layer on the abrasive material.

The use of WEICON Alu Grinding Protection avoids a clogging, and the pores of the grinding media remain open. WEICON Alu Grinding Protection greatly increases the tool life of an abrasive disc and the grinding performance can be increased by up to 350%.

WEICON Alu Grinding Protection can be used in all abrasive materials on foundations such as fiber wheels, sheeting, endless grinding belts, sleeves, orbital sanders, and special machines.

Technical Data

Odour	solvent
Features	silicone-free
Storage stability	24 months
Colour	colourless
Temperature resistance	-20 to +130 °C

Processing

Spray a sufficient quantity of WEICON Alu Grinding Protection onto the new abrasion disc first. Repeat if the grinding performance is reduced. Start grinding only after evaporation of the propellant (danger of deflagration).

Storage

Pressurized container: protect from sunlight and do not expose to temperatures exceeding +50°C.

Safety and health

When using WEICON products, the physical, safety technical, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Available sizes:

11451400 Alu Grinding Protection 400 ml

Accessories:

11850200 Hand Protective Foam, 200 ml

Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.