

PCB Terminal Block

5mm Pitch


multicomp PRO

Specifications

Current Rating	: 15Amp 300V
Insulation withstand Voltage	: AC2000V min
Insulation resistance	: >2000MΩ 500V DC
Operating Temperature	: 40°C to +105°C
Wire Range	: 12 to 28AWG
Wire Strip Length	: 5 to 6mm
Insulating Body Material ①	: Polyamide 66(UL94V-0)
Insulating Body Color	: Grey
Side Cover Material ④	: Polyamide 66(UL94V-0)
Side Cover Color	: Grey
Terminal ②	: (2) Brass, Tin Plated
Spring ③	: (3) Stainless Strip Steel

**RoHS
Compliant**

PCB Layout



Dimensions : Millimetres

Part Number Table

Description	Poles	A(mm)	A(inch)	Part Number
PCB Terminal Block, 5mm Pitch, Grey	2	11	0.433	MP008124
	3	16	0.630	MP008125
	4	21	0.827	MP008126
	6	31	1.220	MP008127
	8	41	1.614	MP008128
	12	61	2.402	MP008129

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
Element14.com/multicomp-pro

multicomp PRO