

## FEATURES

- UL approved Nylon 66
- Self-adhesive tie mounts
- Smooth
- Grease-free surface
- Heavy support

## RS PRO Self Adhesive Natural Cable Tie Mount 19 mm x 19mm, 4.1mm Max. Cable Tie Width

RS Stock No.: 865-9701



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

This adhesive cable tie base is designed as an anchor point to attach cables to another surface using a cable tie. For increased support, mounting holes are provided for screws. Its 4-way design enables you to thread cable ties either vertically or horizontally once mounted.

The mounts are manufactured from nylon 6.6 (also known as Nylon 66) that is classified to UL 94V-2, making them ideal for use where fire resistance is critical. Cable tie mounts have been designed specifically to be used with cables and wires to secure, identify and tidy cables.

## General Specifications

|                        |                                   |
|------------------------|-----------------------------------|
| <b>Series</b>          | HC                                |
| <b>Colour</b>          | Natural                           |
| <b>Material</b>        | Nylon 66                          |
| <b>Quantity</b>        | 100                               |
| <b>Fire Behaviour</b>  | Self-Extinguishing                |
| <b>Self Adhesive</b>   | Yes                               |
| <b>Fixation Method</b> | Screw Mounting                    |
| <b>Application</b>     | Cable management and organisation |

## Mechanical Specifications


|                                   |       |
|-----------------------------------|-------|
| <b>Length</b>                     | 19mm  |
| <b>Width</b>                      | 19mm  |
| <b>Fixing Hole Diameter</b>       | 4.4mm |
| <b>Cable Tie Width Acceptance</b> | 4.1mm |

## Approvals

|                      |          |
|----------------------|----------|
| <b>Standards Met</b> | UL 94V-2 |
|----------------------|----------|



**8659701**



**8659704**

| RS Number | Color   | L    | W    | H   | Mounting Hole | T   | Packing |
|-----------|---------|------|------|-----|---------------|-----|---------|
| 8659701   | Natural | 19   | 19   | 5   | 4.4           | 4.1 | 100     |
| 8659704   |         | 26.5 | 26.5 | 7.4 | 4.3           | 5.8 |         |