

FEATURES

- Wiring box for Cat5e cables
- Punch down interface
- 2 ports
- STP shielding
- Straight through connection
- Length of 25 mm
- Width of 25 mm
- Depth of 45 mm
- Connections are clearly marked on the case
- Available in unshielded (UTP) and shielded (STP) versions

RS PRO Cat5e Punch Down Wiring Box, 2 Port, STP

RS Stock No.: 340-9652



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

Part of the RS PRO series, these punch-down wiring boxes are ideal for connecting Cat5e cables without loss of bandwidth. Cat5e cables are also known as ethernet cables and typically used to connect computers to a network hub, such as a router. For this reason, it's important to maintain the 350 MHz speed of the cables when coupling two Cat5 ends.

General Specifications

Type	Wiring Box
Interface Type	Punch Down
LAN Category	Cat5
Number of Ports	2
Shield Type	STP
Wiring Configuration	Straight Through
Colour	Black
Housing Material	Plastic
Applications	Commercial or industrial environments where you need to join Cat5 cables

Mechanical Specifications

Length	25mm
Width	25mm
Depth	45mm

Approvals

Compliance/Certifications	RoHS (Restriction of Hazardous Substances) compliant, ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007
----------------------------------	-----------------------------------------------------------------------------------------------------

