Eaton JKS-30

Catalog Number: JKS-30

Eaton Bussmann series JKS fuse, Power panelboards, Machinery disconnects, 30 A, 1, Class J, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 Vac, Standard, 10, 600 V

General specifications

Product Name Eaton Bussmann series JKS fuse

UPC 051712630306

Product Height 0.81 in

Product Weight 1.15 lb

Compliances RoHS Compliant Catalog Number JKS-30 Product Length/Depth

2.25 in

Product Width 0.81 in

Warranty

Not Applicable



Electrical rating

Amperage Rating

30 A

Interrupt rating 200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Number of elements

1

Packaging type

Standard

General information

Class

Class J

Connection Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - JKS-30

Technical data sheets

JKS-30~LIMITRON FAST ACTING FUSE CLASS J

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia