

**RoHS  
Compliant**




## Features

- Stainless steel wire protector
- 2-12 pole interlocking
- 16A 250VC rating
- UL & CSA approved
- 1.5mm<sup>2</sup> cable entry
- Double tongue and groove for stronger interlocking and stability
- Captive screws
- Guided pin alignment
- Anti solder wicking
- Honed pin for smooth PCB insertion
- Test probe facility

## Specification

Rating	: 16A/240V
Working temperature	: -33°C to +125°C
Insulation resistance	: ≥5MΩ
Dielectric strength	: ≥2.5kV/60Sec
Moulding	: UL94-V0 flame retardant PA66
Pin/terminal	: Brass tin Plated
Wire Clamp	: Brass tin Plated
Screw/torque	: M3 steel zinc plated, 0.4Nm
Recommended PCB hole size	: ø1.1mm

## Diagram



## Part Number Table

Description	Poles	Length	Part Number
Terminal Block, Wire To Board, 5mm Pitch	3	15mm	MCPTB5201/3BK

Dimensions : Millimetres

**Important Notice** : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro  
Farnell.com/multicomp-pro  
sg.element14.com/b/multicomp-pro