

No. 1907/2006 (REACH)
Printed 13.07.2018

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Leak-Detection-Spray-frost-proof

Code-Nr. 116524

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

Technical Aerosols

1.3. Details of the supplier of the safety data sheet

Distributor WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

Phone: +49(0)251 / 9322 - 0, Fax: +49(0)251 / 9322 - 244

E-Mail : msds@weicon.de Internet : www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

Phone +49(0)251 / 9322 - 0 Fax +49(0)251 / 9322 - 244 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

Aerosol 3 H229

Hazard Statements

H229 Pressurised container: May burst if heated.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



No. 1907/2006 (REACH) Printed 13.07.2018

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

Signal word

Warning

Hazard Statements

H229 Pressurised container: May burst if heated.

Precautionary Statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

P338 easy to do. Continue rinsing.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
10024-97-2	233-032-0	nitrous oxide	0,1 - 2,5	Ox. Gas 1, H270 / Press. Gas, H280
137-16-6	205-281-5	Natrium-N-Lauroylsarkosinat	0,1 < 1	Acute Tox. 2, H330 / Eye Dam. 1, H318 / Skin Irrit. 2, H315
64-17-5	200-578-6	ethanol	0,1 < 1	Flam. Liq. 2, H225 / Eye Irrit. 2, H319
102-71-6	203-049-8	Triethanolamin	0,1 - 1	
57-55-6	200-338-0	1,2-propylen-glycol	25 - 50	
61788-90-7	263-016-9	Kokosalkyldimethylaminoxid	0,25 < 1	Eye Dam. 1, H318 / Aquatic Acute 1, H400 M=1 / Skin Irrit. 2, H315

REACH

CAS No	Name	REACH registration number
10024-97-2	nitrous oxide	01-2119970538-25
137-16-6	Natrium-N-Lauroylsarkosinat	01-2119527780-39
64-17-5	ethanol	01-2119457610-43
102-71-6	Triethanolamin	01-2119486482-31
57-55-6	1,2-propylen-glycol	01-2119456809-23
61788-90-7	Kokosalkyldimethylaminoxid	not subject to registration

SECTION 4: First aid measures

4.1. Description of first aid measures General information

Take affected person into fresh air. Do not leave casualty unattended.



No. 1907/2006 (REACH)
Printed 13.07.2018

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off with water.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Do not induce vomiting.

Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

5.2. Special hazards arising from the substance or mixture

Danger of bursting

Risk of formation of toxic pyrolyse products.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

Additional information

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

High risk of slipping due to leakage/spillage of product.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

After taking up the material dispose according to regulation.



No. 1907/2006 (REACH) Printed 13.07.2018

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures necessary if used correctly.

General protective measures

Avoid contact with eyes and skin

Do not inhale aerosols

Hygiene measures

At work do not eat, drink and smoke.

Work in rooms with good ventilation.

Wash hands before breaks and after work.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material.

Pressurized container.

Do not pierce or burn even after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container.

Adhere to administrative regulations relating to storage of compressed gas cylinders / containers.

Advice on storage compatibility

Do not store together with animal feedstuffs.

Do not store together with food.

Further information on storage conditions

Store only at temperature of 40°C maximum (=104°F).

Protect from heat and direct solar radiation.

Keep in a cool place, heat causes increase in pressure and risk of bursting.

Recommended storage temperature: room temperature.

7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
64-17-5	ethanol	8 hours	1920	1000	EH40/2005
10024-97-2	Nitrous oxide	8 hours	183	100	EH40/2005
57-55-6	Propane-1,2-diol: total vapour & particulates	8 hours	474	150	EH40/2005
57-55-6	Propane-1,2-diol: particulates	8 hours	10		EH40/2005

Additional advice

The statutory local and national regulations have to be observed.



No. 1907/2006 (REACH)
Printed 13.07.2018

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

8.2. Exposure controls Respiratory protection

Not required

If ventilation insufficient, wear respiratory protection.

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Eye protection

tightly fitting goggles

Other protection measures

protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceColourOdouraerosolcolourlessperceptible

Odour threshold not determined

Important health, safety and environmental information

Important health, safety and environmental information					
	Value	Temperature	at	Method	Remark
pH value	7 - 8	20 °C			
boiling range	not applicable				
solidifying temperature	-15 °C				
Flash point	not applicable				Aerosol
Vapourisation rate	not determined				
Flammable (solid)	not applicable				
Flammability (gas)	not applicable				
Ignition temperature	371 °C				
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	5,5 - 6,5 bar	20 °C			



No. 1907/2006 (REACH)
Printed 13.07.2018

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

	Value	Temperature	at	Method	Remark
Relative density	ca. 1,05 g/cm3	20 °C			
Vapour density	not determined				
Solubility in water					miscible
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity dynamic	not determined				
Viscosity kinematic	not determined				
Water content	ca. 62 %				

Oxidising properties

No information available.

Explosive properties

no

The product is considered non-explosive; nevertheless explosive vapour/air mixtures can be generated.

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Keep away from heat. Heating above 50°C Risk of bursting.

10.5. Incompatible materials

Substances to avoid

Risk of bursting at temperatures above 50°C due to a pressure increase inside the container. Heating causes the pressure to increase. Risk of bursting through overheating.

10.6. Hazardous decomposition products



No. 1907/2006 (REACH) Printed 13.07.2018

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

Method

Validation

trials.

Thermal decomposition

Remark No decomposition if used as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	2000 mg/kg	rat		CAS: 57-55-6
LD50 acute dermal	20800 mg/kg	rabbit		CAS: 57-55-6
LC50 acute inhalation	0,5 mg/l (4 h)	rat	dust/mist	CAS: 137-16-6
Skin irritation	low irritant effect - not necessary to label			
Eye irritation	low irritant - no labeling duty			
Skin sensitization	non-sensitizing			

Subacute Toxicity - Carcinogenicity

Value

Mutagenicity	No experimental information on genotoxicity in vitro available.
Reproduction- Toxicity	No indications of toxic effects were observed in reproduction studies in animals.
Carcinogenicity	No indications of carcinogenic effects are available from long-term

Experiences made from practice

According to our experience and current information, the product has no detrimental effects on health if handled and used correctly

Species

Frequent persistent contact with the skin may cause skin irritation.

Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.



No. 1907/2006 (REACH) Printed

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

	Value	Species	Method	Validation	
Fish	LC50 > 100 mg/l (96 h)	rainbow trout		CAS: 57-55-6	
Daphnia	EC50 > 100 mg/l (48 h)	Daphnia magna		CAS: 57-55-6	
12.2. Persist	tence and degradability Elimination rate	Method of analysis	Method	Validation	
Biological				Biodegradable	

Information refers to the main component.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

degradability

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

Additional ecological information

	Value	Method	Remark
AOX	Product can contain o	rganically bound halogen ar	nd contribute to the adsorbable organic halogen value.

General regulation

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into the ground water or aquatic environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

The ecotoxic effect of the product has not been tested. The information on this was derived from products of similar structure or composition.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No. Name of waste

16 05 04* gases in pressure containers (including halons) containing hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Dispose of according to the local waste regulations.

Recommended cleansing agent

Water

General information

For proper waste disposal a complete emptying of the tin is necessary.

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.



No. 1907/2006 (REACH)
Printed 13.07.2018

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1950	1950	1950
14.2. UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, non-flammable
14.3. Transport hazard class(es)	2.2	2.2	2.2
14.4. Packing group	-	-	-
14.5. Environmental hazards	No No	No	No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

Land and inland navigation transport ADR/RID

Hazard label(s) 2.2 tunnel restriction code E Classification code 5A

transport in "limited quantities" according to 3.4 ADR is possible

Transport/further information

Marine pollutant: NO

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content 0,1 %

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

Further information

H318

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EUdirectives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Highly flammable liquid and vapour.
May cause or intensify fire; oxidiser.
Contains gas under pressure; may explode if heated.
Causes skin irritation.

Causes serious eye damage.



No. 1907/2006 (REACH) Printed 13.07.2018

revision 27.11.2017 (GB) Version 1.0

Leak-Detection-Spray-frost-proof

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.