

## FEATURES

- Carbon Spring Steel material
- Nickel plated finish
- Items can be securely attached
- Various sizes and thickness of split rings
- Split rings supplied in packs of 20

## RS PRO Split Ring

RS Stock No.: 866-529



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

RS PRO split rings are key accessories and can be used for various projects. Split rings can also be referred to as cotter rings and are a type of wire fastener which has a circle shape and are usually used to attach items to a keyring.

Options include:

866-490 – Outside Dia. 9.5mm, Inner Dia. 7.95mm, Wire Size 0.92 Ring Thickness 1.75

866-513 - Outside Dia. 16mm, Inner Dia. 13.4mm, Wire Size 1.22, Ring Thickness 2.35

866-529 - Outside Dia. 20mm, Inner Dia. 17.2mm, Wire Size 1.37, Ring Thickness 2.6

866-535 - Outside Dia. 25mm, Inner Dia. 21.2mm, Wire Size 1.84, Ring Thickness 3.3

866-541 - Outside Dia. 28mm, Inner Dia. 24.5mm, Wire Size 1.62, Ring Thickness 2.94

866-557 - Outside Dia. 30mm, Inner Dia. 26.0mm, Wire Size 1.98, Ring Thickness 3.56

866-563 - Outside Dia. 32mm, Inner Dia. 27.6mm, Wire Size 1.98, Ring Thickness 3.56

866-579 - Outside Dia. 38mm, Inner Dia. 33.9mm, Wire Size 1.98, Ring Thickness 3.7

## General Specifications

<b>Type</b>	Key Ring
<b>Quantity Per Package</b>	20
<b>Material</b>	Carbon Spring Steel
<b>Applications</b>	Keys, Key fobs, Bag charms, Craft and jewellery, projects, Lanyards

## Mechanical Specifications

<b>Outer Diameter</b>	20mm
-----------------------	------

