## Peltier Cooler Module Single Stage, 127 Couples, 15.4V DC, 42.8W



# RoHS Compliant



#### **Electric Characteristics**

 Imax
 : 5A

 Vmax
 : 15.4V DC

 Pc max
 : 42.8W


 ΔTmax
 : 65°C

 Max Hot Side Temp.
 : 80°C

 Wire
 : 20 AWG

 Sealant
 : Silicone

### **Diagram**



#### **Notes**

- (At hot side temperature Th =  $25^{\circ}$ C / 298K, under dry N<sub>2</sub>)
- Pc max = Cooling power at ΔT = 0 and I = Imax
- ΔTmax = Temperature difference at I = Imax and Pc = 0
- Max hot side temperature given for best long term performance.
- Max mounting pressure: 1.5MPa
- Wires: AWG 20 UL 1694 insulation PVC max. 105°C







## Peltier Cooler Module Single Stage, 127 Couples, 15.4V DC, 42.8W



### At hot side temperature 25°C



### At hot side temperature 50°C




Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



## Peltier Cooler Module Single Stage, 127 Couples, 15.4V DC, 42.8W



#### At hot side temperature 75°C



#### **Part Number Table**

Description	Part Number
Peltier Cooler Module, 127 Couples, 15.4V DC, 42.8W, 5A, 65°C	MPADV-127-140170-S

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

