

#### **FEATURES**

- NDIR (non-dispersive infrared) CO2 sensor
- Checks for Carbon Dioxide (CO2) concentrations
- Indoor Air Quality displayed in ppm with Good (0 to 800ppm), Normal (800 to1500ppm), Poor (>1500ppm) indication
- Easy to read, large dual display
- Simultaneously displays (CO2) concentrations, Air Temperature and Humidity
- Adjustable carbon dioxide refresh frequency.
- Adjustable carbon dioxide alarm function in the range of 0-5000 ppm.
- Air quality indicator function
- low battery indication.

# **RS PRO Air Quality Meter**

RS Stock No.: 2362654, 2362655



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



## **Product Description**

RS-326 The Carbon Dioxide (CO2) Monitor is designed for air quality control and health control by measuring Carbon Dioxide (CO2) level in areas where it needs to be monitored, such as factories, schools, offices, transportation lines and so on. The measured CO2 value in ppm (parts-permillion) will be displayed on the LCD.

#### **General Specifications**

Model Number	2362654, 2362655
Sensor used	NDIR
Display Type	LCD
Data Logging	
Data Storage	
Communication Interface	
Mounting	Desktop Mount
Operating Temperature	-10°C to +50°C
Storage Temperature	-10°C to +60°C
Applications	Ventilation Duct/ Measurement at Air Outlet

#### Measurement

Parameter	Measuring Range	Accuracy	Resolution
Temperature	-10 to +50 °C	±1	0.1°C/ 0.1°F
Relative Humidity	0 to +100 %RH	±3.5 %RH (20%RH-80%RH) ±5%RH (0%RH- 20%RH/ 80%RH- 100%RH)	0.1%RH
Air Velocity			
Carbon Monoxide Level			
Carbon Dioxide Level	0ppm to5000ppm	±75 ppm ±5% of reading	1ppm

#### **Electrical Specifications**

## Air Quality Meter



Battery Type 2 Battery life	x AA 1.5V
Battery life	
<i>Plug Type</i> Ⅳ	1icro USB
Mechanical Specifications	
Dimensions	
Width 10	03mm
Length 10	08mm
Height 25	5mm
Weight 21	<b>10</b> g
Housing Material	
Protection Category	
IP Protection	
Additional Information	
EAN	
Custom Tariff Number 9	026801000
Classification	
eCI@ss Version	
UNSPSC Version	
Approvals	
Compliance/	ertifications CE
L	Declarations



### **Similar Products Range**

Parameter	Stock No 1	Stock No 2	Stock No 3	Stock No 4
Temperature Range				
Relative Humidity Range				
Air Velocity Range				
Carbon Monoxide Level				
Carbon Dioxide Level				
Display Type				
Data Storage				
Interfaces				
Dimensions				
Communication Interface				
IP Rating				

ACCESSORIES INCLUDED WITH Air Quality Meter Cradle for charging and convenient USB and Ethernet communications, Ethernet cable, USB cable,12 V dc power supply, zero count inlet-filter, filter adapter, sample inlet protective cap, hard case,getting started manual and users manual CD.

**DIMENSION DRAWING**