

FEATURES

- Special pliers designed to bend the TO220 component leads to 90° in one step, in such a way that the central lead is 2.54 mm shorter than the side leads.
- The cutting length can be adjusted using the adjustable stop (min. 3 mm).
- For copper wire \varnothing 1.30mm – 16 awg
- Forming force 3 kg
- Steel thickness 5 mm.
- Tool length 155 mm.
- ESD-safe handles.
- Ergonomic anti-slip bi-component handle for a safe, light and comfortable grip
- Anti-reflection phosphating surface treatment
- Laser marking
- Made in Italy

RS PRO TO220 90° forming pliers, leaving the central lead 2.54 mm shorter than side leads

RSPRO Stock No.: 238-0778



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- *Made in Italy with special carbon steel and undergo a controlled atmosphere heat treatment.*
- *The anti-reflection phosphating surface treatment ensures an accurate view of the work being carried out.*
- *The tools are joined with grounded holes and surfaces, thereby allowing precise movements.*
- *The ESD anti-slip bi-material dolphin handle is created following ergonomic principles, thus guaranteeing a safe, light and comfortable grip for the operator even when used constantly for many hours*
- *This plier is ideal to work on component leads in microelectronics when the operation can be done manually. Easy to perform, gives the shape you need on your components with no effort.*

General Specifications

Plier Type	TO220 90° lead forming
Non-Sparking	Yes
Material	Carbon steel
Number Of Pieces	1
Finish	Anti-reflection phosphating surface treatment, grey grip

Electrical Specifications

ESD Safe	Yes
-----------------	-----

Mechanical Specifications

Overall Length	155mm
Forming force	3 kg
Copper wire	Ø 1.30 mm – 16 awg
Steel Thickness	5mm

