

FEATURES

- Impedance of 50 ohms
- High performance cable assembly
- Strong brown FEP (Fluorinated Ethylene Propylene) jacket
- SMA connector plugs

RS PRO Black Male SMA to Male SMA RG402 Coaxial Cable, 50 Ω

RS Stock No.: 546-2879



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

From the trusted brand RS PRO, comes a range of high quality Male SMA to Male RG402 Coaxial Cable. Constructed out of industry-standard components, these flexible cables have been designed to carry signals over long distances and are easy to install. This RF coaxial 50-ohm cable assembly is terminated at each end by brass RG-402 SMA connector plugs.

General Specifications

Coaxial Type	RG402
Connector A	Male SMA
Connector B	Male SMA
Terminated/Unterminated	Terminated
Sheath Colour	Black
Applications	Connecting radio transmitters and receivers with their antennas, Computer network (Internet) connections, Feeding satellite signals through to your TV.

Electrical Specifications

Voltage Rating	500V
Characteristic Impedance	50 Ω

Mechanical Specifications

Length	250mm
Cable Shape	Coaxial
Outer Diameter	2.6mm

Item	Material
Insulation	PTFE

Operation Environment Specifications

Operating Temperature Range	-40°C to 85°C
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C

Approvals

Compliance/Certifications	EN61340
Standards Met	MIL-STD-348A

