

Cable Spiral Wrapping

Features

- Black spiral wrap
- Crush resistant
- Tough durable
- Protects against damage and wear without restricting flexibility
- 5 m in length
- Internal diameter of 20 mm
- Nylon construction
- Wall thickness of 0.9 mm
- Restriction of Hazardous Substances (RoHS) compliant
- Complies with ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007 Electrostatic Control Standards

RS PRO Spiral Wrap, I.D 20 mm 23 mm, Nylon

RS Stock No: 288-4923



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Cable Spiral Wrapping

Product Description

This reusable black spiral wrap is from RS PRO. It comes on a 5-metre reel and is compatible with cables measuring 20 mm to 23 mm in diameter.

The spiral wrap has a slit harness design that you can easily and quickly slide onto the harness with the use of the included tool. It's easy to apply and remove, so you can use it more than once. Made from an abrasion-resistant nylon material, it's safe and durable. Not only can it hold up to harsh chemicals, but it also extinguishes itself in case of fire. This product complies with international electrostatic control standards.

Cable spiral wrap is useful for bundling and protecting wires, such as computer wires in an office or hoses in an automotive workshop.

General Specifications

Minimum Cable Diameter	20 mm
Maximum Cable Diameter	23 mm
Colour	Black
Internal Diameter	20 mm
Material	Nylon
Maximum Bundle Diameter	23 mm
Wall Thickness	0.9 mm
Length	5 m

Variants

RS PRO Spiral Wrap, I.D 8 mm 10 mm, Nylon	RS stock no: 210-8572
RS PRO Spiral Wrap, I.D 13.4 mm 16 mm, Nylon	RS stock no: 210-8588
RS PRO Spiral Wrap, I.D 20 mm 23 mm, Nylon	RS stock no: 288-4923
RS PRO Spiral Wrap, I.D 25 mm 25 mm, Nylon	RS stock no: 210-8594

Cable Spiral Wrapping

