

## FEATURES

- UL approved Nylon 66, 94V-2
- Color: Black, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Max. operating temperature up to 85°C.
- Application: One piece self-lock cable tie save the time and make effective for installation.
- Easy to thread.

## RS PRO Cable Ties Assortment

RS Stock No.: 220-6254



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

**Product Description**

- Material: UL approved Nylon 66 , 94V-2.
- Color: Black, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Max. operating temperature up to 85°C
- Application: One piece self-lock cable tie save the time and make effective for installation.

**General Specifications**

<b>Series</b>	CABLE TIE ASSORTMENT
<b>Type</b>	Non-Releasable
<b>Colour</b>	Black
<b>Material</b>	Nylon 66
<b>Finish</b>	
<b>Application</b>	
<b>Resistant To</b>	
<b>UV Resistant</b>	NO
<b>Minimum Operating Temperature</b>	-40°C
<b>Maximum Operating Temperature</b>	85°C
<b>Fire Behaviour</b>	Self-Extinguishing
<b>Quantity</b>	2500PCS/CTN

**Mechanical Specifications**

Unit:mm

RS Article	Contents	Length		Width W	Max. Bundle Dia.	Min Loop Tensile Strength		Packing
		mm	inch			lbs	kgs	
		177-9448	233-455	100		4"	2.5	
233-465	150		6"	3.6	36	40	18	600PCS
233-471	203		8"	4.6	52	50	22	600PCS
	280		11"	4.8	77	50	22	400PCS
	385		15 3/16"	4.8	110	50	22	300PCS

## Approvals

<b>Declarations</b>	
<b>Standards Met</b>	UL, RoHS, SVHC, DNV.GL, Lloyd's, CE, VDE, ABS, HF

## Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
233-124	RS PRO	CABLE TIE ASSORTMENT		Nylon 66	
233-130	RS PRO	CABLE TIE ASSORTMENT		Nylon 66	

