

No. 1907/2006 (REACH) Printed 05.08.2019

revision 05.02.2018 (GB) Version 9.1

Flex 310 M Stainless-Steel

! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Flex 310 M Stainless-Steel

Code-Nr. 136560

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

1-Component Adhesives and Sealants, permanently elastic

1.3. Details of the supplier of the safety data sheet

Distributor WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

Phone: +49(0)251 / 9322 - 0, Fax: +49(0)251 / 9322 - 244

E-Mail: msds@weicon.de Internet: www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

> Phone: +49(0)251 / 9322 - 0 Fax: +49(0)251 / 9322 - 244 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

! Additional hints

This mixture is not classified as hazardous according to Regulation (EC) 1272/2008 [GHS].

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

Precautionary Statements

P271 Use only outdoors or in a well-ventilated area.

P501 Dispose of contents/container to hazardous or special waste collection point.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 05.02.2018 (GB) Version 9.1

Flex 310 M Stainless-Steel

! Special rules for supplemental label elements for certain mixtures

Contains Bis(1,2,2,6,6-pentamethylpiperidyl) sebacate. May produce an allergic reaction.

Contains N-[3-(trimethoxymethylsilyl)propyl]ethylenediamine. May cause allergic reactions.

Safety data sheet available on request.

2.3. Other hazards

! Information pertaining to special dangers for human and environment

Although this product is not subject to reporting requirements for hazardous products, we recommend compliance with the safety recommendations.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description

Sealant

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove moisted clothing immediately.

In the event of persistent symptoms receive medical treatment.

In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

In case of skin contact

Dab affected skin part with a cotton ball or cellulose and wash it afterwards with plenty of water and a mild cleaner.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion

Do not induce vomiting.

If swallowed by mistake drink plenty of water and seek medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam

Dry powder

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet



No. 1907/2006 (REACH) Printed 05.08.2019

revision 05.02.2018 (GB) Version 9.1

Flex 310 M Stainless-Steel

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

Nitrogen gases (NOx)

Methanol

Carbon monoxide (CO)

Carbon dioxide (CO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

Do not discharge into surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up mechanically and send for disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Emergency telephone number: see section 1

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

General protective measures

Do not inhale vapours.

Avoid contact with eyes and skin

Hygiene measures

Remove soiled or soaked clothing immediately.

Work in rooms with good ventilation.

Keep away from food and drink.

Wash hands before breaks and after work.

Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 05.02.2018 (GB) Version 9.1

Flex 310 M Stainless-Steel

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Keep only in original container.

Advice on storage compatibility

Do not store with acids.

Do not store together with animal feedstuffs.

Do not store together with food.

Do not store together with oxidizing agents.

Further information on storage conditions

Protect from frost.

Protect from heat and direct solar radiation.

Store container at cool and aired place.

Store in a dry place.

7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

! SECTION 8: Exposure controls/personal protection

8.1. Control parameters

! Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
67-56-1	methanol	8 hours Short-term	266 333	200 250	EH40/2005
67-56-1	Methanol (CH)	MAK, 8 hours Short-term	260 1040	200 800	ZNS, Sehen, Methode: INRS, NIOSH

Additional advice

The statutory local and national regulations have to be observed.

In case of contact with water (humid air), small amounts of methanol may be formed.

8.2. Exposure controls

Respiratory protection

Not required

! Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: butyl rubber, 0,7mm; 480min

Eye protection

tightly fitting goggles

Other protection measures

protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.



No. 1907/2006 (REACH) Printed 05.08.2019

revision 05.02.2018 (GB) Version 9.1

Flex 310 M Stainless-Steel

! SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance
pastyColour
silver-greyOdour
characteristic

Odour threshold not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not determined				
boiling point	not determined				
melting point	not determined				
Flash point	> 100 °C				
Vapourisation rate	not determined				
Flammable (solid)	not applicable				
Flammability (gas)	not applicable				
Ignition temperature	420 °C				
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	0,4 Vol-%				
Upper explosion limit	2,9 Vol-%				
Vapour pressure	not determined				
Relative density	ca. 1,08 g/cm3	20 °C			
Vapour density	not determined				
Solubility in water					insoluble
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity dynamic	not determined				
Viscosity kinematic	not determined				
Oxidising properties					

Oxidising properties

No information available.



No. 1907/2006 (REACH) Printed 05.08.2019

revision 05.02.2018 (GB) Version 9.1

Flex 310 M Stainless-Steel

Explosive properties

no

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

In case of contact with water (humid air), small amounts of methanol may be formed.

Reactions with acids and strong oxidising agents.

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

Substances to avoid

Acid

Oxidising agent, strong

10.6. Hazardous decomposition products

Nitrous gases Carbon monoxide Carbon dioxide methanol

Thermal decomposition

Remark No decomposition if used as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

Acute toxicity/iiiitati						
	Value/Validation	Species	Method	Remark		
Skin irritation	low irritant effect - not necessary to label					
Eye irritation	low irritant - no labeling duty					
Skin sensitization	non-sensitizing					
Subacute Toxicity - Carcinogenicity						

	Value	Species	Method	Validation	
Chronic Toxicity				-	



No. 1907/2006 (REACH) Printed 05.08.2019

revision 05.02.2018 (GB) Version 9.1

Flex 310 M Stainless-Steel

	Value	Species	Method	Validation
Mutagenicity				No experimental information on genotoxicity in vitro available.
Reproduction- Toxicity				No indications of toxic effects were observed in reproduction studies in animals.
Carcinogenicity				No indications of carcinogenic effects are available from long-term trials.

Experiences made from practice

According to our experience and current information, the product has no detrimental effects on health if handled and used correctly

Frequent persistent contact with the skin may cause skin irritation.

Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.

! SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

12.2.1 01313101100 01	Elimination rate	Method of analysis	Method	Validation	
Biological degradability				not degradable	

12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

! General regulation

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into aquatic environment.

The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

Name of waste

waste adhesives and sealants containing organic solvents or other hazardous substances

8 04 10

waste adhesives and sealants other than those mentioned in 08 04 09

adhesive and sealant sludges containing organic solvents or other hazardous substances



No. 1907/2006 (REACH) Printed 05.08.2019

revision 05.02.2018 (GB) Version 9.1

Flex 310 M Stainless-Steel

08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 04	metallic packaging
15 01 10*	packaging containing residues of or contaminated by hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Dispose of according to the local waste regulations.

General information

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.

SECTION 14: Transport information

=			
	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazard	ls -	-	-

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

! SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

 VOC content
 0,03 %

 VOC value
 0,3 g/L

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



No. 1907/2006 (REACH) Printed 05.08.2019

revision 05.02.2018 (GB) Version 9.1

Flex 310 M Stainless-Steel

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 9.0