

200A Heavy Duty Connector Crimp Contacts

multicomp PRO

**RoHS
Compliant**




Specifications


Material	: Copper Alloy
Surface	: Hard Silver Plated
Rated Current	: 200A
Contact Resistance	: $\leq 0.3\text{m}\Omega$
Insulation Diameter	: 14mm Max.
Stripping Length	: 19mm
Mating Cycles	: ≥ 500
Wire Stranded	: IEC 60228-5

Diagram

Crimp Contact, Male



Crimp Contact, Female



Part Number		Wire Gauge	"Ø"
Male	Female	mm ²	
MP009726	MP009722	25	7
MP009727	MP009723	35	8.2
MP009728	MP009724	50	10
MP009729	MP009725	70	11.5

Part Number Table

Description	Part Number
Crimp Contact, Female, 200A, 25mm ² , Silver Plated	MP009722
Crimp Contact, Female, 200A, 35mm ² , Silver Plated	MP009723
Crimp Contact, Female, 200A, 50mm ² , Silver Plated	MP009724
Crimp Contact, Female, 200A, 70mm ² , Silver Plated	MP009725
Crimp Contact, Male, 200A, 25mm ² , Silver Plated	MP009726
Crimp Contact, Male, 200A, 35mm ² , Silver Plated	MP009727
Crimp Contact, Male, 200A, 50mm ² , Silver Plated	MP009728
Crimp Contact, Male, 200A, 70mm ² , Silver Plated	MP009729

Dimensions : Millimetres

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
sg.element14.com/b/multicomp-pro

multicomp PRO