

#### **FEATURES**

- Indicator light
- Lamp size of T1 3/4
- Midget groove base
- 4,000 hours life
- Luminosity of 4.3lm
- Voltage rating of 28V
- Current rating of 40mA
- Length of 15.9 mm
- Diameter of 5.84 mm
- Conforms to ANSI/ESD S20.20:2014 and BS EN 61340-5-1:200 on electrostatic discharge

# Midget Groove Indicator Light, Clear, 28 V, 40 mA, 4000h

RS Stock No.: 655-9621



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

# Filament Indicator Lamps



### **Product Description**

If you're looking to light up a switch and need a miniature bulb, consider this lamp from the RS PRO range. It comes in a tubular S6S format. Long-lasting, you won't need to change it for at least 4,000 hours. The bulb provides 4.3 Im of illumination, with a 28 V voltage rating and a 40 mA current rating.

#### **General Specifications**

Lamp Base	Midget Groove
Lamp Size	T1 ¾
Lens Colour	Clear
Luminosity	4.3lm±20%
Life hours	4000h
Filament Type	Vacuum Type
Housing Material	Glass
Applications	Automotive industry; Gambling machine industry; Car indicator; Garden lights; Paper lanterns; Battery-powered flashlights

#### **Electrical Specifications**

Voltage Rating	28V
Current Rating	40mA+10%
Light Output	4.3lm

### **Mechanical Specifications**

Diameter	5.84mm
Length	15.9mm




## **Approvals**

**Compliance/Certifications** 

RoHS, ANSI/ESD S20.20:2014, BS EN 61340-5-1:200





# Filament Indicator Lamps



RS Stock No.	6559621	
DRAWING - I		
	5.84MAX	
		Unit: mm
	Rulh Type	
	Bulb Type Bulb Diameter	T1 3/4 Clear
l. Structure	Bulb Diameter	T1 3/4 Clear Ø5.84Max.
. Structure	Bulb Diameter Length	T1 3/4 Clear Ø5.84Max. 15.9Max
. Structure	Bulb Diameter Length Base Type	T1 3/4 Clear Ø5.84Max. 15.9Max M.G.
. Structure	Bulb Diameter Length Base Type Voltage	T1 3/4 Clear Ø5.84Max. 15.9Max M.G. 28V
2. Design	Bulb Diameter  Length  Base Type  Voltage  Amperage	T1 3/4 Clear Ø5.84Max. 15.9Max M.G. 28V 40mA±10%
. Structure . Design Characteristics	Bulb Diameter Length Base Type Voltage	T1 3/4 Clear Ø5.84Max. 15.9Max M.G. 28V